

Dupilumab Treatment is Not Associated with Increased Risk of Overall Skin Infections [Letter]

Simmi Wiggins^{1,*}, Noah A Levit^{2,*}

¹Sanofi, 410 Thames Valley Park Dr, Reading, RG6 IPT, UK; ²Regeneron Pharmaceuticals Inc, Tarrytown, NY, 10591, USA

*These authors contributed equally to this work

Correspondence: Simmi Wiggins, Sanofi, 410 Thames Valley Park Dr, Reading, RG6 IPT, UK, Tel +44 (0) 1183 543 000, Fax +44 (0) 800 471 8627, Email Simmi.Wiggins@sanofi.com

Dear editor

The article by Labib et al¹ provides a valuable review of prurigo nodularis (PN). Dupilumab, recently approved by the U. S. Food and Drug Administration as the only systemic therapy for the treatment of PN, is mentioned among novel immunotherapies under investigation. Dupilumab safety is reviewed based on clinical trial data for atopic dermatitis (AD). However, the article cites skin infections as adverse reactions more commonly associated with dupilumab relative to placebo, a point that we believe warrants clarification.

Eichenfield et al² analyzed pooled data from 7 randomized, placebo-controlled trials in adults with AD and found that the exposure-adjusted proportion of patients with treatment-emergent non-herpetic adjudicated skin infections was significantly lower with dupilumab than with placebo (14.5% vs 26.6%, $p < 0.001$). In the same study, the incidence of herpetic infections was non-significantly higher with dupilumab (12.7% vs 10.4%, $p = 0.24$), while eczema herpeticum and herpes zoster were significantly less frequent with dupilumab versus placebo (1.1% vs 3.6%, $p = 0.004$). Similarly, in a pooled analysis of 2 randomized, placebo-controlled trials in children aged 6–17 years with AD, Paller et al³ reported significantly lower exposure-adjusted proportions of patients with total and non-herpetic skin infections in the dupilumab group versus placebo (respectively, 35.9% vs 67.0%, $p = 0.001$ and 27.8% vs 56.9%, $p = 0.004$), while herpes viral infections did not differ significantly (total herpes infections, 8.9% vs 14.7%, $p = 0.262$; eczema herpeticum, 0.8% vs 1.6%, $p = 0.628$; herpes zoster, 0.8% vs 0, $p = 1.0$). Additionally, Blauvelt et al⁴ analyzed treatment-emergent infections over 4 years of dupilumab treatment in an AD open-label study and found that the cumulative number of patients with serious or severe infections, non-herpetic or herpetic infections, and total skin infections, decreased yearly with continued treatment.

In PN, subsequent to the publication of Labib et al,¹ results from Phase 3 randomized LIBERTY-PN PRIME and PRIME2 trials showed, similarly to AD trials, that non-herpetic skin infections occurred less frequently in patients treated with dupilumab versus placebo (2.7% vs 9.3% in PRIME, and 5.2% vs 6.1% in PRIME2); herpetic skin infections did not occur in PRIME and were more frequent with dupilumab in PRIME2 (5.2% vs 0).⁵

AD patients are highly susceptible to non-herpetic skin infections, usually with Gram-positive bacteria, and dupilumab was shown to decrease abundance of *Staphylococcus aureus* in both AD lesional and non-lesional skin,⁶ results further supported by comprehensive evidence from clinical trials and post-marketing studies. Herpes infections are a known adverse drug reaction in both AD and PN and included in the U.S. prescribing information.⁷

In conclusion, evidence from AD and PN trials demonstrates that dupilumab treatment does not increase the risk of skin infections overall, and is associated with fewer non-herpetic skin infections compared with placebo.

Acknowledgments

Research sponsored by Sanofi and Regeneron Pharmaceuticals Inc. Medical writing/editorial assistance was provided by Iulia Oprea, MD, PhD, of Excerpta Medica, and was funded by Sanofi and Regeneron Pharmaceuticals Inc., according to the Good Publication Practice guideline.

Disclosure

Simmi Wiggins is a Sanofi employee and may hold stock and/or stock options in the company; Noah A. Levit was a Regeneron Pharmaceuticals Inc. employee and shareholder at the time this letter was written and reports compensation as non-promotional speaker from Sanofi, outside the submitted work.

References

1. Labib A, Ju T, Vander Does A, Yosipovitch G. Immunotargets and therapy for prurigo nodularis. *Immunotargets Ther.* 2022;11:11–21. doi:10.2147/ITT.S316602
2. Eichenfield LF, Bieber T, Beck LA, et al. Infections in dupilumab clinical trials in atopic dermatitis: a comprehensive pooled analysis. *Am J Clin Dermatol.* 2019;20(3):443–456. doi:10.1007/s40257-019-00445-7
3. Paller AS, Beck LA, Blauvelt A, et al. Infections in adolescents and children treated with dupilumab in pediatric clinical trials for atopic dermatitis – a pooled analysis of trial data. *Pediatr Dermatol.* 2022;39(2):187–196. doi:10.1111/pde.14909
4. Blauvelt A, Wollenberg A, Eichenfield LF, et al. No increased risk of overall infection in adults with moderate-to-severe atopic dermatitis treated for up to 4 years with dupilumab. *Adv Ther.* 2023;40:367–380. doi:10.1007/s12325-022-02322-y
5. Yosipovitch G, Mollanazar N, Ständer S, et al. Dupilumab in patients with prurigo nodularis: two randomized, double-blind, placebo-controlled phase 3 trials. *Nat Med.* 2023. doi:10.1038/s41591-023-02320-9
6. Callewaert C, Nakatsuji T, Knight R, et al. IL-4Rα blockade by dupilumab decreases *Staphylococcus aureus* colonization and increases microbial diversity in atopic dermatitis. *J Invest Dermatol.* 2020;140(1):191–202. doi:10.1016/j.jid.2019.05.024
7. Dupixent®. U.S. Food and Drug Administration. Available from: https://www.accessdata.fda.gov/drugsatfda_docs/label/2022/761055s044lbl.pdf. Accessed May 15, 2023.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the ImmunoTargets and Therapy 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the ImmunoTargets and Therapy editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

ImmunoTargets and Therapy

Dovepress

Publish your work in this journal

ImmunoTargets and Therapy is an international, peer-reviewed open access journal focusing on the immunological basis of diseases, potential targets for immune based therapy and treatment protocols employed to improve patient management. Basic immunology and physiology of the immune system in health, and disease will be also covered. In addition, the journal will focus on the impact of management programs and new therapeutic agents and protocols on patient perspectives such as quality of life, adherence and satisfaction. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <http://www.dovepress.com/immunotargets-and-therapy-journal>

<https://doi.org/10.2147/ITT.S421440>