

LETTER

Construct Validity and Test-Retest Reliability of Questionnaires to Assess Workplace Violence Risk Factors (QAWRF): A Tripartite Perspective of Worksite-Specific Determinants in Healthcare Settings [Letter]

Fuad Husain Akbar 101,*, Hasta Handayani Idrus 102,*

Correspondence: Fuad Husain Akbar, Department of Dental Public Health, Faculty of Dentistry, Hasanuddin University, Makassar, Indonesia, Email fuadhusainakbar@unhas.ac.id

Dear editor

We have read the paper written by Faizul Haris Mohd Hatta et al regarding Construct Validity and Test-Retest Reliability of Questionnaires to Assess Workplace Violence Risk Factors (QAWRF). We congratulate all authors who have provided information that will become the basis development of Questionnaires to Assess Workplace Violence Risk Factors (QAWRF) to determine workplace violence (WPV) in health services. Violence and discrimination are common occurrences in the workplace, especially in health services. Workplace violence has detrimental health impacts and consequences for health care workers. However, this problem is still very little reported so it is largely ignored and unexplored due to the lack of comprehensive data and studies regarding this incident.²

The study conducted by Faizul Haris Mohd Hatta et al used QAWRF, an instrument that has three components consisting of QAWRF-Administrator, QAWRF-Workers, and QAWRF-Clients and has undergone content validation, face validation, and internal consistency reliability tests. The instrument used is appropriate to the objectives to be achieved, but we would like to recommend a 9-item health survey measure whose overall question is "Have you experienced the following things in the last 12 months at work?", noting that the answers may vary by nine different aspects and specific forms or types of violence and discrimination in the workplace, namely, five items about violence and aggression (verbal violence, threats and insults, physical violence, intimidation or bullying, sexual harassment) and four items about discrimination (treatment that is detrimental and unfair because of age, gender, disability and nationality, ethnicity or skin color).³

In this research, Faizul Haris Mohd Hatta et al obtained the results that QAWRF Administrators, QAWRF Workers, and QAWRF Clients had acceptable factor loadings, absolute suitability and additional suitability so that QAWRF could identify specific WPV risk factors that were considered prevalent by local stakeholders. Therefore outreach is needed to increase awareness of workplace violence, training of doctors and residents in using workplace violence prevention programs to deal with WPV, video recording, enacting more laws to protect doctors, increasing guards security, increasing staff numbers, limiting visitor access to hospital departments, and a violence reporting system.⁴

In conclusion we agree that the QAWRF has good construct validity and reliability that can identify WPV risk factors thereby contributing to data-based, worksite-specific, and targeted WPV interventions in healthcare settings. We therefore recommend that mandatory in-service education on workplace violence should be introduced to all health service

Department of Dental Public Health, Faculty of Dentistry, Hasanuddin University, Makassar, Indonesia; ²Center for Biomedical Research, Research Organization for Health, National Research and Innovation Agency (BRIN), Cibinong Science Center, Bogor, West Java, Indonesia

^{*}These authors contributed equally to this work

Akbar and Idrus **Dove**press

staff. The content of the program includes communication skills, service psychology (understanding client needs), service behavior (how to appropriately respond to client needs and personality enhancement) and safety training (handling aggression and de-escalating hostile situations).⁵

Disclosure

All authors report no conflicts of interest in this communication.

References

- 1. Hatta FHM, Samsudin EZ, Aimran N, Ismail Z, Sapian NAM. Construct validity and test-retest reliability of questionnaires to assess workplace violence risk factors (QAWRF): a tripartite perspective of worksite-specific determinants in healthcare settings. Risk Manag Healthc Policy. 2024;17:455-471. doi:10.2147/RMHP.S411335
- 2. Stahl-Gugger A, Hämmig O. Prevalence and health correlates of workplace violence and discrimination against hospital employees a crosssectional study in German-speaking Switzerland. BMC Health Serv Res. 2022;22(1):1-13. doi:10.1186/s12913-022-07602-5
- 3. Hämmig O. Quitting one's job or leaving one's profession: unexplored consequences of workplace violence and discrimination against health professionals. BMC Health Serv Res. 2023;23(1):1-13. doi:10.1186/s12913-023-10208-0
- 4. Mohamad O, AlKhoury N, Abdul-Baki MN, Alsalkini M, Shaaban R. Workplace violence toward resident doctors in public hospitals of Syria: prevalence, psychological impact, and prevention strategies: a cross-sectional study. Hum Resour Health. 2021;19(1):1-11. doi:10.1186/s12960-020-
- 5. Sisawo EJ, Ouédraogo SY, Huang SL. Workplace violence against nurses in the Gambia: mixed methods design. BMC Health Serv Res. 2020;17 (1):1-11. doi:10.1186/s12913-017-2258-4

Dove Medical Press encourages responsible, free and frank academic debate. The contentTxt of the Risk Management and Healthcare Policy 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Risk Management and Healthcare Policy editors. While all reasonable steps have been taken to confirm the contentTxt of each letter. Dove Medical Press accepts no liability in respect of the contentTxt of any letter, nor is it responsible for the contentTxt and accuracy of any letter to the editor.

Risk Management and Healthcare Policy

Dovepress

Publish your work in this journal

Risk Management and Healthcare Policy is an international, peer-reviewed, open access journal focusing on all aspects of public health, policy, and preventative measures to promote good health and improve morbidity and mortality in the population. The journal welcomes submitted papers covering original research, basic science, clinical & epidemiological studies, reviews and evaluations, guidelines, expert opinion and commentary, case reports and extended reports. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/risk-management-and-healthcare-policy-journal