

A Scoping Review of the Online Interventions by Nurses for Reducing Negative Impact of Bullying on Students

Iyus Yosep¹, Rohman Hikmat², Ai Mardhiyah³, Kurniawan Kurniawan¹, Iceu Amira¹

¹Department of Mental Health, Faculty of Nursing, Universitas Padjadjaran, Sumedang, Jawa Barat, Indonesia; ²Faculty of Nursing, Universitas Padjadjaran, Sumedang, Jawa Barat, Indonesia; ³Department of Pediatric Nursing, Faculty of Nursing, Universitas Padjadjaran, Sumedang, Jawa Barat, Indonesia

Correspondence: Iyus Yosep, Faculty of Nursing, Universitas Padjadjaran, Jl. Raya Ir. Soekarno KM. 21, Hegarmanah, Jatinangor, Sumedang, West Java, 45363, Indonesia, Tel +62 81 394 665577, Fax +61 22 87793411, Email iyus.yosep@unpad.ac.id

Abstract: The incidents of bullying on students have increased every year. The negative impacts of bullying are physical problems, psychological problems such as depression and anxiety, and even risk of suicide. Interventions by online to reduce the negative impact of bullying are more effective and efficient. The aim of this study is to explore method of online-based nursing intervention on students for reducing the negative impact of bullying. This study used a scoping review method. The literature from three databases were PubMed, CINAHL, and Scopus. PRISMA Extension for Scoping Reviews was used for search strategy and we used keywords were “nursing care OR nursing intervention” AND “bullying OR victimization” AND “online OR digital” AND “student”. The inclusion criteria for articles were primary research, the design of articles are randomized control trial or quasi-experimental, samples were students, and the setting time of publication is last 10 years (2013–2022). We found 686 articles based on initial research, after elimination based on inclusion and exclusion criteria, and found 10 articles discussing about online-based interventions by nurses on students for reducing the negative effects of bullying. The range of respondents in this study is 31–2771 respondents. The method used for the online-based nursing intervention were improving students’ skills, increasing social skills, and counseling. The types of media used are videos, audio, modules, and online discussions. Online interventions were effective and efficient so that they are easily accessible to participants, however, it causes difficulties for participants to access interventions due to internet network disruptions. The potential of online-based nursing interventions is effective to reduce the negative impact of bullying with give full attention in physical, psychological, spiritual, and cultural aspect.

Keywords: bullying, online-based nursing intervention, students

Introduction

Every year, more students are being bullied. According to data in 2017 from the United Nations Children’s Fund (UNICEF), 67 of her 100 students in 18 different nations have been bullied.¹ A study conducted by Latitude News in 40 countries found that most cases of bullying occur in Japan, Indonesia, Canada, South Korea, the United States and Finland. Up to 50% of her 13–15 year olds in Indonesia experience bullying.² Bullying is included in the 10 health problems that worry teenagers.³

Bullying is aggressive and violent behavior who causes hostility between the two parties (the perpetrator and the victim), and repeat a negative behavior resulting in an imbalance of power between perpetrator and victim.⁴ Victims also perceive themselves as weak, powerless and always feel threatened by bullying. Negative behavior that causes a person to be uncomfortable/injured and usually occurs repeatedly which is characterized by an imbalance of power between the perpetrator and the victim.⁵ This bullying behavior cannot be separated from the desire for power and also being someone who is feared in the school environment.⁶ The perpetrators of bullying which are commonly called bullies can be a person, it can also be a group of people, and he or they perceive themselves to have the power to do anything to their victims. Victims also perceive themselves as weak, powerless and always feel threatened by bullying.^{6,7} Examples of

bullying behavior are fighting, giving nicknames, isolating, spreading gossip, speaking harshly, or sexually harassing, while bullying behavior can also be done via the internet such as the use of text messages, pictures, videos, or social media.⁸ Data from UNICEF shows that the causes of bullying are 25% because of their physical appearance, 25% because of their gender, 25% because of their ethnicity or country of origin, and 25% for other reasons.⁹ The physical and verbal bullying they receive is often a trauma factor for the short and long term. The problem for victims of bullying is the emergence of various mental health problems such as depression, anxiety and sleep problems that may carry over into adulthood, physical health complaints, such as headaches, stomach aches and muscle tension, feeling insecure in the school environment, and decreased enthusiasm for learning and academic achievement.¹⁰ The impact of bullying behavior that is carried out can result in victims becoming desperate, embarrassed, aloof, unwilling to socialize, not enthusiastic, and even hallucinating.¹¹ These disorders include poor social adjustment as well as psychological disorders.^{12,13} This is in line with previous research which states that violence against children will affect the psychology of children's growth and development, where children will become tough personalities in the future.¹⁴ Children who are bullied have the potential to become perpetrators of juvenile delinquency, perpetrators of violence and criminal acts.¹⁵ Bullying causes psychological problems such as 60.17% experiencing emotional mental disorders (44.54% feel lonely, 40.75% feel anxious, and 7.33% have ever wanted to commit suicide).¹⁴

To lessen the effects of bullying, efforts must be made to help the victims. Previous studies have demonstrated that counseling is an effort to lessen the damaging effects of bullying on adolescents.^{10,16} Bullying intervention programs have been shown to be successful when using peer-based psychoeducation.¹⁷ Access to and availability of time for participation in the intervention's execution are obstacles to efforts to lessen the detrimental effects of bullying on its victims.¹⁸ Online nursing interventions are possible following the pandemic. Previous studies have demonstrated the effectiveness of online nursing treatments to lessen the effects of bullying on nurses.¹⁹ This demonstrates that there is a problem gap since nurses' online solutions to lessen the effects of bullying are still mostly unknown to nurses.²⁰

Nursing intervention is needed for victims, families, schools, and perpetrators of bullying. This aims to reduce the incidence of bullying in students. Nurses and psychologists collaborate to conduct counseling and rehabilitation efforts to prevent perpetrators from bullying again.²¹ Intervention for families is also an effort to increase family awareness of bullying and involve families in preventing bullying by students. Other studies also show that interventions need to be given to schools to carry out programs to prevent and overcome bullying by students at school.^{22,23} Interventions to reduce the negative impact of bullying need to be given to victims who have physical and psychological problems. Intervention with victims is an effort that must be done first to prevent more serious problems from occurring to victims. Previous studies have shown that victims who are not treated immediately suffer from post-traumatic stress disorder and are at risk of suicide.^{11,24} So this study focuses on interventions to reduce the negative impact on victims of bullying on students.

Providing comprehensive nursing care covering physical, psychological, spiritual, and cultural aspects to victims of bullying are the most important role of nurses. The role of the nurse as an educator serves to increase parental and community knowledge about bullying and its effects.²⁵ Nurses also act as advocates and collaborators to increase public awareness and empathy in responding to bullying issues. Then the nurse also acts as a counselor to help victims in solving psychological problems due to bullying.²⁶ The importance of nurses must also be carried out in collaboration with other health workers and the role of the family to get maximum purposes.²⁷

Previous scoping review about school-based program (collaborated with health workers and teachers) are effective for reducing negative impact of bullying.²⁸ However, the obstacle in implementing the intervention was that it took a long time and some participants did not fully participate in the activity. So further studies are needed to review nursing intervention by online for reducing impact of bullying to make it more effective and efficient. Another studies showed that online interventions are effective in improving students' mental health during the Covid-19 pandemic.^{29,30} This study shows that there is potential for nursing interventions conducted online to address the impact of mental health problems. So this scoping review is the first study to discuss online-based interventions to reduce negative impacts on students.

Bullying has a detrimental effect and can result in long-term psychological issues. To provide victims of bullying with comprehensive nursing care, nurses have a crucial role to play. However, because they require so much time, offline

nursing interventions are viewed as being less effective and efficient. There is a need for a scoping review so that nurses may learn what kinds of nursing interventions can be carried out online to lessen the effects of bullying on pupils. As a result, the authors plans to carry out a scoping review to explore the method of online-based nursing treatments might be used to lessen the negative effects of bullying on students.

Materials and Methods

Design

This study used a design scoping review framework. Scoping review is a design to explore various types of interesting and developing topics in the world according to research objectives.³¹ This method used data to discuss research results with a wide conceptual range in accordance with research objectives.³² The authors used five stages for this study were define research questions and research objectives, define inclusion and exclusion criteria, identify and select articles, collecting data, and reporting study results.³³ This study used the PRISMA Extension for Scoping Reviews (PRISMA-ScR) to identify the articles who discussed about the method of nursing interventions by online on students for reducing negative effect/traumatic effect of bullying.

Search Methods

The authors used three databases in this study: CINAHL, PubMed, and Scopus. The keywords for search of the articles are: “nursing care OR nursing intervention” AND “bullying OR victimization” AND “online OR digital” AND “students”. The research questions for this study is what the methods of nursing interventions by online on students for reducing negative impacts of bullying?

Inclusion and Exclusion Criteria

Search strategy for articles in this study made use of the PRISM-ScR diagram (Figure 1). For the purpose of choosing articles, the authors employed inclusion and exclusion criteria. The study’s inclusion criteria included original research, sample is students, nursing interventions delivered online, RCT or quasi-experimental design, English language, and publication within the last ten years (2013–2022). The study’s exclusion criteria were that the intervention was offline and the sample was not made up of students.

Data Extraction

The authors created manually table for extraction data. This table helped the authors to classified similar interventions from the results of this scoping review. Data included in the extraction table are purpose, design of the study, samples in the study, interventions, and results.

Quality Appraisal

The authors used the Joanna Briggs Institute (JBI) critical evaluation method to determine the quality of the journals selected for the scoping review. JBI is a method of describing the content of each paper and evaluating the quality of the paper according to the research design as a reference for judging whether the paper can be reviewed. The article scoring method used a score for each statement (yes, no, unknown, not applicable). A score of yes is given a value of 1, any other score is given a value of 0. The authors determined the criteria for the articles used and analyzed in this study by her JBI rating score of 75% or higher for criteria and topical relevance.

Data Analysis

Articles chosen in accordance with inclusion and exclusion criteria. The authors then evaluated the articles’ quality after having all of them read and fully examined. Data analysis was conducted using a descriptive methodology. The reviews are created by the authors and added to the extract table Following summaries, each authors discussed and described how nursing interventions are conducted.




Figure 1 PRISMA Flow Diagram.

Note: PRISMA figure adapted from Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71. doi: 10.1136/bmj.n71. Creative Commons.⁷⁰

Results

The authors found articles from search results based on keywords of 686 articles. After we made a selection based on article duplication, we obtained 636 articles. Then the authors selected articles according to the inclusion criteria and screened abstracts and article titles, found 30 articles. After that, the authors read the full-text and eliminated based on the exclusion criteria, resulting in 10 articles. The authors double-checked to get relevant articles with high quality. The authors analyzed the quality of the articles using the JBI Critical Appraisal Tool assessment. The standard value of the articles in this study is above 75% according to the relevance of the topics in this study (Table 1).

The extraction data in this study were presented used manual tabular from all authors presented in Table 2:

The authors found 10 articles that discussed topics according to the research objectives. Of the 10 articles, 1 article were found from Brazil, 1 article from Austria, 1 article from Australia, 1 article from Finland, 1 article from Israel, 2 articles from the US, 1 article from Spain, 1 article from Germany, and 1 article from Italy. Based on the design of the articles, 8 articles used an RCT design and 3 articles used a quasi-experimental design. We found that there were three methods of nursing intervention, there were improved students' skills, social-based programs, and counseling. Each intervention is described based on the study results of each type of intervention.

Improving Skill Students

Online-based nursing interventions that can be delivered through skill development. Skills-based interventions consist of several activities, including role-playing, dramatization, positive reinforcement, modeling, feedback, videos, and

Table 1 JBI Critical Appraisal Tool

Author, Published Year	JBI Critical Appraisal Tool	Study Design
[36]	84,6% (11/13)	RCT
[40]	84,6% (11/13)	RCT
[37]	92,3% (12/13)	RCT
[41]	76,9% (10/13)	RCT
[45]	92,3% (12/13)	RCT
[44]	84,6% (11/13)	RCT
[43]	76,9% (10/13)	Study protocol for RCT
[38]	88,9% (8/9)	Quasy experimental
[39]	100% (9/9)	Quasy experimental
[42]	77,8% (7/9)	Quasy experimental

homework.³⁶ This activity was conducted for 4 weeks with start, middle and end activities. Other activities, such as the Cyber Friendly School Program, which reviews relevant school policies, educates staff about the technology students are using, raises student awareness, and provides bullying prevention training to students and parents.³⁷ The program will be conducted in 6 sessions over 8 weeks. Interventions are effective in reducing bullying and victimization.

There are 19 one-hour sessions total in the Cyber-program 2.0 intervention.³⁸ The exercises included identifying bullying, examining its effects, creating coping mechanisms, and creating constructive variables (empathy, active listening, social skills, constructive conflict resolution and tolerance). The NoTrap Intervention Program! It is divided into three stages: education, virtual empathy training, and effort to strengthen the system of supports.³⁹ Special training is provided to students and schools on how to stop and handle bullying. According to the intervention's findings, bullying in schools has decreased.

Social-Based Program

Another intervention that can be implemented online to reduce the impact of bullying on students is the one-year ViSC social-based program.⁴⁰ Training consisted of several sessions. Meetings to implement preventive measures at school and class level (class projects). Other program, such as KiVa's anti-bullying program, run for 90 minutes a day for 10 weeks.⁴¹ Prevention and intervention programs are implemented through social and school support systems. The activities to be implemented are education and training to improve the support system. Interventions can reduce the incidence of bullying. Another program is the Whole-School Change Intervention which is carried out online in collaboration with the school.⁴² This intervention focuses on Peer Education activities to improve resilience and coping skills in dealing with stress. Students are also given education related to bullying so that bullying does not happen again to students.

The Internet-based intervention (CORE: Cultivating our Resilience) teaches stress management techniques and promotes personal growth while enhancing wellbeing.⁴³ The intervention was divided into six interactive modules: life objectives, connecting with others, overcoming obstacles, self-care and compassion. Along with instruction in brief distance power-points (15–20 minutes) and fundamental cognitive-behavioral therapy (CBT) approaches, other programs are provided, such as media-based preventive interventions.⁴⁴ Applications-based remote interventions for bullying victims are practical and acceptable, and the results of such interventions can enhance wellbeing. Interventions can help lessen depression and anxiety.

Table 2 Extraction Data

No	Author & Year	Outcome	Country	Design	Sample	Intervention	Result
1.	[36]	To investigated effect of skill-based intervention to improved social and emotional skills would reduce victimization and bullying	Brazil	RCT	78 students aged 11–17	Skill-Based Intervention	Significant to reduced victimization by bullying
2.	[40]	To investigated the ViSC Program to prevents bullying and cyber-victimization	Austria	RCT	2042 students aged 12–18	ViSC Social-based program	Effective for preventing bullying and cyber-victimization
3.	[37]	To investigated impact of a whole-school online bullying prevention and intervention program	Australia	RCT	31 students aged 10–18	Cyber Friendly Schools Program	Effective to prevent and reduce bullying
4.	[41]	To investigate effect of the KiVa anti-bullying programme to reduce effect of bullying	Finland	RCT	93 students aged 12–16	KiVa anti-bullying programme	Effective to reduce bullying and improve social support
5.	[45]	To evaluates the effectiveness of a Safe Surfing anti-bullying intervention program in reducing bullying	Israel	RCT	1550 students aged 12–18	Anti-Bullying Intervention Program	Significant to improve perceived popularity and self-esteem and reduce bullying
6.	[44]	To evaluate effect of media-based intervention to reduce effect of bullying	US	RCT	80 students aged 12–17	Media-Based Prevention Intervention	Effective to reduce the effect bullying and cyber-victimization,
7.	[43]	To evaluate the effects of Internet-based intervention (CORE: Cultivating our Resilience) to reduce effect of bullying	Germany	Study protocol for RCT	464 students aged 11–16	Internet-based intervention (CORE: Cultivating our Resilience)	Effective to reduce effect of bullying (anxiety and depression) and for improving resilience and coping skills
8.	[38]	To investigated the effects cyberprogram to reduce effect of bullying, and empathy	Spain	Quasy experimental	176 students aged 11–19	Cyberprogram 2.0	Significant to prevent and reduce effect of bullying
9.	[39]	To evaluates the effects of NoTrap Program to reduce incidence of bullying	Italy	Quasy experimental	628 students aged 10–18	NoTrap Program!	Effective in reducing the incidence of bullying
10.	[42]	To evaluates the Whole-School Change Intervention to reduce bullying	USA	Quasy experimental	2771 students aged 12–18	Whole-School Change Intervention	Effective in reducing the incidence of bullying and improve supportive environment.

Counseling

Online counseling also attempts to reduce the incidence of bullying among students. An anti-bullying intervention program was conducted in three sessions over four weeks.⁴⁵ The actions taken are in the form of education, problem-solving advice, and bullying prevention. The intervention lasted for 12 sessions, 60–90 minutes per session. The activities carried out are aimed at solving problems and implementing solutions to overcome bullying. Activities will be held online in each group. Each group is asked to present a problem. Each student then takes turns consulting to demonstrate the problems and solutions being implemented. The intervention was shown to significantly reduce the incidence of bullying in schools.

Discussion

This scoping review shows that online nursing interventions can reduce the impact of bullying on students at school. There are 3 types of interventions that can be carried out based on this study, namely by increasing students' skills, increasing social skills, and counseling. The nursing interventions carried out are independent interventions and collaborative interventions, both with the school or psychologist.

The results of the study show that the sample is adolescents aged 10–19 years. Teenagers are someone who is in a transition period from children to adults. At this stage of adolescent development, curiosity arises and does not want to be controlled, as well as the search for identity. Sometimes, Adolescents finds it difficult to accept the differences that occur between him and others.⁴⁶ So that these differences lead to bullying. Previous study have shown that the cause of bullying is the differences in race, religion, culture, and physical characteristics of students.⁴⁷ Other studies also show that students experience bullying due to physical differences experienced by students.^{11,48} In adolescence, guidance needs to be given to parents and community nurses in preventing and reducing the negative effects of bullying on students.

Online nursing interventions last anywhere between two and sixteen weeks. The length of the intervention was customized for the victim's characteristics and the actual intervention sessions. Interventions conducted online are more effective than those conducted offline.⁴⁹ This is because the intervention can be done at any time.⁵⁰ This is in line with previous studies which showed that the intervention to increase students' self-esteem could be done online for 6 weeks.^{51,52} Programs to reduce the impact of stress on victims of violence are also more efficient online, which took 8 weeks compared to offline, which took 12 weeks.⁵³ The efficiency of implementing nursing interventions can be considered in making programs to reduce the impact of bullying on students.

Improving student skills is an important thing to do in reducing the negative impact of bullying. Students need to have high resilience skills in order to be able to face the bullying they get. Resilience is an individual's resistance used when dealing with stressors.⁵¹ Previous studies have shown that resilience is an effective ability to deal with unpleasant events experienced by students.⁵⁴ Another study shows that the impact of bullying will decrease when the victim has adaptive coping and high resilience.⁵⁵ Resilience and coping skills also help improve students' ability to reduce the traumatic effects of bullying. Students with adaptive coping deal with stressors by focusing on solving problems, so that trauma problems can be handled properly.⁵⁶ In solving their problems, students need to be facilitated by nurses to make the right decisions in solving problems due to their trauma.

Nurses provide online nursing care to make it more effective and efficient, and to reach a wider range of victims of bullying. Nurses provide education about bullying online. Providing online education can increase student awareness of bullying. Online education is also effective in reducing the incidence of bullying among students.¹⁹ Nurses also perform their role as counselors to improve students' adaptive coping in dealing with bullying. Counseling is carried out in collaboration with psychologists to explore the feelings of victims of bullying, then discuss solutions to the problems experienced by victims. Previous studies have shown that 60 minutes of counseling is an effective method of reducing the effects of trauma on adolescents.^{57,58} In addition, counseling can also increase the sense of security and comfort in victims of bullying. Then the role of the nurse as a facilitator is to facilitate activities carried out by adolescents. Activities in the form of peer education and skills improvement such as improving coping and resilience in reducing the impact of bullying. Nurses facilitate youth to do positive things according to the victim's hobbies, and nurses facilitate students to share with other students. Activities carried out by nurses can be collaborated with the school and parents to

monitor the progress of victims of bullying. Previous studies have shown that school-based nursing interventions are effective for preventing and reducing the impact of bullying on students.^{28,49} Social support is also an important aspect to reduce the impact of bullying on victims. Social support will increase the confidence of victims of bullying and reduce the impact of social isolation that appears on victims.⁵⁹ This is in line with previous studies which showed a decrease in anxiety and social isolation that occurred in victims after receiving social support for victims of bullying.^{60–62} Social support can be provided by friends, teachers or the school, parents, and health workers including nurses.⁶³ Social support training can be done to increase environmental awareness of victims of bullying. Another study shows that victims who get social support from the environment can reduce anxiety and depression that appear in victims of bullying.⁶⁴ The nurse becomes a facilitator to guide students in conducting peer-support groups. Students are given the opportunity to express their feelings, then given the motivation to solve the problem.⁶⁵ Students are also invited to discuss solutions to trauma problems experienced by students.⁶⁶ So that social-support is needed as a means to support each other in the process of healing trauma due to bullying.

Efforts to reduce the negative impact of bullying can be done in collaboration with psychologists, namely counseling. Counseling is an effort to express the feelings experienced by the victim and discuss to resolve the problem together with the victim.⁶⁷ Counseling is done online between the psychologist and the victim. Previous studies have shown that counseling is an effective effort to reduce the impact of bullying on students.^{58,68} Counseling is carried out by teachers and nurses to students and parents to find out the problems faced by students. Students attend counseling with the aim of determining methods of solving problems due to trauma.⁵⁷ Then counseling also involves parents so that supervision of students at home runs optimally to reduce the negative effects of bullying.⁶⁹ In addition, counseling can also solve mental health problems experienced by victims of violence. Victims can also adapt to the environment at school.

Nurses, other health professionals, or the school can work together to implement programs to lessen the effects of bullying on students. However, collaborative interventions can be conducted more thoroughly in order to have a more positive effect.⁷⁰ Efforts to reduce bullying need to be carried out by various parties including students, teachers, health workers, parents, and the community.³⁴ Collaboration can also increase awareness of the school environment to reduce the incidence of bullying. Collaboration is carried out online between health workers to coordinate and monitor students' progress on the behavior and impact of bullying. So that the monitoring process runs optimally.

Limitations

This study has research limitations, namely the articles used only with RCT and quasi-experiment designs. This causes the authors to be unable to compare the results of the study with other research designs. In addition, the limitation of this study is the period of article publication which is limited to the last 10 years (2013–2022). The authors tried to get articles with the latest nursing interventions but cannot compare the results of data outside the last 10 years.

Conclusion

Nursing interventions carried out online have the potential to reduce the negative effects of bullying on students. This is shown from the results of a scoping review of 10 articles which show the effectiveness of implementing online nursing interventions to reduce psychological problems in students. The results of this study indicate that there are three methods of online-based nursing interventions, namely improving students' skills, increasing social skills, and counseling. This shows the use of technology as a relevant medium to support the success of nursing interventions. Implementation of nursing interventions must pay attention to various aspects such as physical, psychological, cultural, and spiritual. Nurses provide comprehensive nursing care to victims of bullying. The role of the nurse as a facilitator in carrying out nursing interventions, the nurse also acts as a counselor to improve adaptive coping for victims of bullying, and nurses collaborate with schools, parents and other health workers to increase awareness and reduce the negative impact of bullying.

The implication of this study is that the study results become the basis for nurses in providing online nursing care to students. This study is also a reference for educators in the field of psychiatric nursing and community nursing regarding bullying in adolescents. The suggestion in this study is the need for a systematic review and meta-analysis to determine the effectiveness of online nursing interventions to reduce the negative effects of bullying on adolescents.

Acknowledgments

All authors thank you to Universitas Padjadjaran who has facilitating us to make this study.

Funding

This research have not external funding.

Disclosure

The authors declare that no conflicts of interest in this study.

References

1. van Gils FE, Colpin H, Verschueren K, et al. Teachers' Responses to Bullying Questionnaire: a Validation Study in Two Educational Contexts. *Front Psychol.* 2022;13:830850. doi:10.3389/fpsyg.2022.830850
2. Chatziioannidis I, Bascialla FG, Chatzivalsama P, Vouzas F, Mitsiakos G. Prevalence, causes and mental health impact of workplace bullying in the Neonatal Intensive Care Unit environment. *BMJ Open.* 2018;8(2):e018766. doi:10.1136/bmjopen-2017-018766
3. Aboujaoude E, Savage MW, Starcevic V, Salame WO. Cyberbullying: review of an Old Problem Gone Viral. *J Adolesc Heal off Publ Soc Adolesc Med.* 2015;57(1):10–18. doi:10.1016/j.jadohealth.2015.04.011
4. Wachs S, Bilz L, Fischer SM, Schubarth W, Wright MF. Students' Willingness to Intervene in Bullying: direct and Indirect Associations with Classroom Cohesion and Self-Efficacy. *Int J Environ Res Public Health.* 2018;15:11. doi:10.3390/ijerph15112577
5. Olweus D. School bullying: development and some important challenges. *Annu Rev Clin Psychol.* 2013;9:751–780. doi:10.1146/annurev-clinpsy-050212-185516
6. Olweus D, Limber S. Bullying in school: evaluation and dissemination of the Olweus Bullying Prevention Program. *Am J Orthopsychiatry.* 2010;80. doi:10.1111/j.1939-0025.2010.01015.x
7. Olweus D. A useful evaluation design, and effects of the Olweus Bullying Prevention Program. *Psychol Crime Law.* 2005;11(4):389–402. doi:10.1080/10683160500255471
8. Şimşek N, Şahin D, Evli M. Internet Addiction, Cyberbullying, and Victimization Relationship in Adolescents: a Sample from Turkey. *J Addict Nurs.* 2019;30(3):201–210. doi:10.1097/JAN.0000000000000296
9. Guarini A, Menabò L, Menin D, et al. The P.E.A.C.E. Pack Program in Italian High Schools: an Intervention for Victims of Bullying. *Int J Environ Res Public Health.* 2020;17(14):5162. doi:10.3390/ijerph17145162
10. Olweus D, Solberg ME, Breivik K. Long-term school-level effects of the Olweus Bullying Prevention Program (OBPP). *Scand J Psychol.* 2020;61(1):108–116. doi:10.1111/sjop.12486
11. Dema T, Tripathy JP, Thinley S, et al. Suicidal ideation and attempt among school going adolescents in Bhutan - a secondary analysis of a global school-based student health survey in Bhutan 2016. *BMC Public Health.* 2019;19(1):1605. doi:10.1186/s12889-019-7791-0
12. Hidayati E, Nihayatuzulfah RDA, Mubin MF, Abdullah BF. The impact of bullying on teenagers depression level. *Malaysian J Med Heal Sci.* 2021;17(18):48–51.
13. Yosep I, Mardhiyah A, Hikmat R. Adolescent Coping Strategies With Parental Divorce: a Narrative Review. *Sci Midwifery.* 2022;10(2):1079–1085.
14. Hinduja S, Patchin JW. Bullying and Cyberbullying Offending Among US Youth: the Influence of Six Parenting Dimensions. *J Child Fam Stud.* 2022;31(5):1454–1473. doi:10.1007/s10826-021-02208-7
15. Midgett A, Doumas DM. Witnessing bullying at school: the association between being a bystander and anxiety and depressive symptoms. *School Ment Health.* 2019;11:454–463. doi:10.1007/s12310-019-09312-6
16. Tzani-Pepelasi C, Ioannou M, Synnott J, et al. Bullying and suicidal ideation and behaviors: a meta-analysis. *Aggress Violent Behav.* 2015;18(1):2249. doi:10.1542/peds.2014-1864
17. Midgett A, Doumas DM, Sears D, Lunquist A, Hausheer R. A bystander bullying psychoeducation program with middle school students: a preliminary report. *Prof Couns.* 2015;5. doi:10.15241/am.5.4.486
18. Lamela D, Jongenelen I, Pinto R, et al. Understanding the emotional impact of domestic violence on young children. *Child Abuse Negl.* 2021;31(5):2052. doi:10.3389/fpsyg.2019.00641
19. Gaffney H, Farrington DP, Espelage DL, Ttofi MM. Are cyberbullying intervention and prevention programs effective? A systematic and meta-analytical review. *Aggress Violent Behav.* 2019;45:134–153. doi:10.1016/j.avb.2018.07.002
20. Midgett A, Doumas DM, Trull R, Johnson J. Training students who occasionally bully to be peer advocates: can a brief bystander intervention decrease bullying behavior? *J Child Adolesc Couns.* 2017;3:546. doi:10.1080/23727810.2016.1277116
21. Yosep I, Hikmat R, Mardhiyah A. Nursing Intervention for Preventing Cyberbullying and Reducing Its Negative Impact on Students: a Scoping Review. *J Multidiscip Healthc.* 2023;16:261–273. doi:10.2147/JMDH.S400779
22. Hwang E, Shin S. Characteristics of nursing students with high levels of academic resilience: a cross-sectional study. *Nurse Educ Today.* 2018;71:54–59. doi:10.1016/j.nedt.2018.09.011
23. Evans CBR, Fraser MW, Cotter KL. The effectiveness of school-based bullying prevention programs: a systematic review. *Aggress Violent Behav.* 2014;19(5):532–544. doi:10.1016/j.avb.2014.07.004
24. Fekkes M, van de Sande MCE, Gravesteyn JC, et al. Effects of the Dutch Skills for Life program on the health behavior, bullying, and suicidal ideation of secondary school students. *Health Educ.* 2016;116(1):2–15. doi:10.1108/HE-05-2014-0068
25. Granstra K. Nurse Against Nurse: horizontal Bullying in the Nursing Profession. *J Healthc Manag.* 2015;60(4):249–257.
26. Reknes I, Pallesen S, Mageroy N, Moen BE, Bjorvatn B, Einarsen S. Exposure to bullying behaviors as a predictor of mental health problems among Norwegian nurses: results from the prospective SUSH-survey. *Int J Nurs Stud.* 2014;51(3):479–487. doi:10.1016/j.ijnurstu.2013.06.017
27. Yosep I, Hikmat R, Mardhiyah A. Types of Nursing Intervention to Reduce Impact of Bullying and Aggression on Nurses in the Workplace. *Healthcare.* 2022;10(8):1463. doi:10.3390/healthcare10081463

28. Yosep I, Hikmat R, Mardhiyah A. School-Based Nursing Interventions for Preventing Bullying and Reducing Its Incidence on Students: a Scoping Review. *Int J Environ Res Public Health*. 2023;20(2):1577. doi:10.3390/ijerph20021577
29. Simonsson O, Bazin O, Fisher SD, Goldberg SB. Effects of an eight-week, online mindfulness program on anxiety and depression in university students during COVID-19: a randomized controlled trial. *Psychiatry Res*. 2021;305:114222. doi:10.1016/j.psychres.2021.114222
30. Calcar AL, Batterham PJ, Poyser CT, Mackinnon AJ, Griffiths KM, Christensen H. Cluster randomised controlled trial of the e-couch Anxiety and Worry program in schools. *J Affect Disord*. 2016;196:210–217. doi:10.1016/j.jad.2016.02.049
31. Bradbury-Jones C, Aveyard H, Herber OR, Isham L, Taylor J, O'Malley L. Scoping reviews: the PAGER framework for improving the quality of reporting. *Int J Soc Res Methodol*. 2021;1:1–14. doi:10.1080/13645579.2021.1899596
32. Peterson J, Pearce PF, Ferguson LA, Langford CA. Understanding scoping reviews: definition, purpose, and process. *J Am Assoc Nurse Pract*. 2017;29(1):12–16. doi:10.1002/2327-6924.12380
33. Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med*. 2018;169(7):467–473. doi:10.7326/M18-0850
34. da Silva JL, de Oliveira WA, Braga IF, et al. The Effects of a Skill-Based Intervention for Victims of Bullying in Brazil. *Int J Environ Res Public Health*. 2016;13:11. doi:10.3390/ijerph13111042
35. Cross D, Shaw T, Hadwen K, et al. Longitudinal impact of the Cyber Friendly Schools program on adolescents' cyberbullying behavior. *Aggress Behav*. 2016;42(2):166–180. doi:10.1002/ab.21609
36. Garaigordobil M, Martínez-Valderrey V. Effects of Cyberprogram 2.0 on “face-to-face” bullying, cyberbullying, and empathy. *Psicothema*. 2015;27(1):45–51. doi:10.7334/psicothema2014.78
37. Palladino BE, Nocentini A, Menesini E. Evidence-based intervention against bullying and cyberbullying: evaluation of the NoTrap! Program in two independent trials. *Aggress Behav*. 2016;42(2):194–206. doi:10.1002/ab.21636
38. Gradinger P, Yanagida T, Strohmeier D, Spiel C. Effectiveness and sustainability of the ViSC Social Competence Program to prevent cyberbullying and cyber-victimization: class and individual level moderators. *Aggress Behav*. 2016;42(2):181–193. doi:10.1002/ab.21631
39. Ahtola A, Haataja A, Kärnä A, Poskiparta E, Salmivalli C. Implementation of anti-bullying lessons in primary classrooms: how important is head teacher support? *Educ Res*. 2013;55. doi:10.1080/00131881.2013.844941
40. Acosta J, Chinman M, Ebener P, Malone PS, Phillips A, Wilks A. Evaluation of a Whole-School Change Intervention: findings from a Two-Year Cluster-Randomized Trial of the Restorative Practices Intervention. *J Youth Adolesc*. 2019;48(5):876–890. doi:10.1007/s10964-019-01013-2
41. Schultze-Krumbholz A, Schultze M, Zagorscak P, Wölfer R, Scheithauer H. Feeling cybervictims' pain-The effect of empathy training on cyberbullying. *Aggress Behav*. 2016;42(2):147–156. doi:10.1002/ab.21613
42. Kutok ER, Dunsiger S, Patena JV, et al. A Cyberbullying Media-Based Prevention Intervention for Adolescents on Instagram: pilot Randomized Controlled Trial. *JMIR Ment Heal*. 2021;8(9):e26029. doi:10.2196/26029
43. Aizenkot D, Kashy-Rosenbaum G. The effectiveness of safe surfing, an anti-cyberbullying intervention program in reducing online and offline bullying and improving perceived popularity and self-esteem. *Cyberpsychology J Psychosoc Res Cybersp*. 2020;14. doi:10.5817/CP2020-3-6
44. Ang RP. Cyberbullying: its Prevention and Intervention Strategies BT - Child Safety, Welfare and Well-being: issues and Challenges. *Springer India*. 2016;25–38. doi:10.1007/978-81-322-2425-9_3
45. Sawicki GS, Ostrenga J, Petren K, et al. Risk Factors for Gaps in Care during Transfer from Pediatric to Adult Cystic Fibrosis Programs in the United States. *Ann Am Thorac Soc*. 2018;15(2):234–240. doi:10.1513/AnnalsATS.201705-357OC
46. McFarlane J, Karmaliani R, Maqbool Ahmed Khuwaja H, et al. Preventing Peer Violence Against Children: methods and Baseline Data of a Cluster Randomized Controlled Trial in Pakistan. *Glob Heal Sci Pract*. 2017;5(1):115–137. doi:10.9745/GHSP-D-16-00215
47. Lan M, Law N, Pan Q, et al. Cyberbullying in elementary and middle school students: a systematic review. *Comput Educ*. 2022;18(5):53–66. doi:10.1016/j.compedu.2021.104356
48. Doty J, Gabrielli J, Abraczinskas M, Giron K, Yourell J, Stormshak E. Parent-Based Prevention of Bullying and Cyberbullying During COVID-19 Social Distancing: a Pilot Intervention using the MOST Framework. *J Prev*. 2022;43(5):719–734. doi:10.1007/s10935-022-00696-x
49. Greco G, Fischetti F, Cataldi S, Latino F. Effects of Shotokan Karate on resilience to bullying in adolescents. *J Hum Sport Exerc*. 2019;14(Proc4):S896–S905. doi:10.14198/jhse.2019.14.Proc4.52
50. de Vibe M, Solhaug I, Rosenvinge JH, Tyssen R, Hanley A, Garland E. Six-year positive effects of a mindfulness-based intervention on mindfulness, coping and well-being in medical and psychology students; Results from a randomized controlled trial. *PLoS One*. 2018;13(4):e0196053. doi:10.1371/journal.pone.0196053
51. van Niejenhuis C, Huitsing G, Veenstra R. Working with parents to counteract bullying: a randomized controlled trial of an intervention to improve parent-school cooperation. *Scand J Psychol*. 2020;61(1):117–131. doi:10.1111/sjop.12522
52. Yosep I, Hikmat R, Mardhiyah A, Hazmi H, Hernawaty T. Method of Nursing Interventions to Reduce the Incidence of Bullying and Its Impact on Students in School: a Scoping Review. *Healthcare*. 2022;10:10. doi:10.3390/healthcare10101835
53. Hutson E, Kelly S, Millett LK. Systematic Review of Cyberbullying Interventions for Youth and Parents With Implications for Evidence-Based Practice. *Worldviews Evidence-Based Nurs*. 2018;15(1):72–79. doi:10.1111/wvn.12257
54. Tuna R, Kahraman B. Workplace bullying: a qualitative study on experiences of Turkish nurse managers. *J Nurs Manag*. 2019;27(6):1159–1166. doi:10.1111/jonm.12787
55. Syah R, Hermawati I. The Prevention Efforts on Cyberbullying Case for Indonesian Adolescent Social Media Users. *J Penelit Kesejaht Sos*. 2018;17(2):131–146.
56. Midgett A, Dumas DM, Johnston A. Establishing school counselors as leaders in bullying curriculum delivery: evaluation of a brief, school-wide bystander intervention. *Prof Sch Couns*. 2018;21:435. doi:10.1177/2156759X18778781
57. Garaigordobil M, Martínez-Valderrey V. Technological Resources to Prevent Cyberbullying During Adolescence: the Cyberprogram 2.0 Program and the Cooperative Cybereduca 2.0 Videogame. *Front Psychol*. 2018;9. doi:10.3389/fpsyg.2018.00745
58. Burke-Garcia A, Johnson-Turbes A, Mitchell EW, et al. How Right Now? Supporting Mental Health and Resilience Amid COVID-19. *Traumatology*. 2021;27(4):399–412. doi:10.1037/trm0000322
59. Shay LA, Allicock M, Li A. “Every day is just kind of weighing my options.” Perspectives of young adult cancer survivors dealing with the uncertainty of the COVID-19 global pandemic. *J Cancer Surviv*. 2021;15:1–11. doi:10.1007/s11764-021-01069-9

60. Abaido GM. Cyberbullying on social media platforms among university students in the United Arab Emirates. *Int J Adolesc Youth*. 2020;25(1):407–420. doi:10.1080/02673843.2019.1669059
61. Tajvidi M, Zeighmi Mohammadi S. The level of loneliness, hopelessness and self-esteem in major thalassemia adolescents TT. *Blood-Journal*. 2012;9(1):36–43.
62. Hatzenbuehler ML, Schwab-Reese L, Ranapurwala SI, Hertz MF, Ramirez MR. Associations Between Antibullying Policies and Bullying in 25 States. *JAMA Pediatr*. 2015;169(10):e152411. doi:10.1001/jamapediatrics.2015.2411
63. Sampasa-Kanyinga H, Roumeliotis P, Xu H. Associations between cyberbullying and school bullying victimization and suicidal ideation, plans and attempts among Canadian schoolchildren. *PLoS One*. 2014;9(7):e102145. doi:10.1371/journal.pone.0102145
64. Schultze-Krumbholz A, Schultze M, Zagorscak P, Wölfer R, Scheithauer H. Feeling cybervictims' pain-The effect of empathy training on cyberbullying. *Aggress Behav*. 2016;42(2):147. doi:10.1002/ab.21613
65. Abaido GM, Ferrara P, Bernasconi S, et al. Technological Resources to Prevent Cyberbullying During Adolescence: the Cyberprogram 2.0 Program and the Cooperative Cybereduca 2.0 Videogame. *PLoS One*. 2020;23(1):2055207618771757. doi:10.1080/02673843.2019.1669059
66. Moran M, Midgett A, Doumas DM, Porchia S, Moody S. A mixed method evaluation of a culturally adapted, brief, bullying bystander intervention for middle school students. *J Child Adolesc Couns*. 2020;5:9854. doi:10.1080/23727810.2019.1669372
67. Midgett A, Doumas DM, Johnston A, Trull R, Miller R. Rethinking bullying interventions for high school students: a qualitative study. *J Child Adolesc Couns*. 2018;4(4):146–163. doi:10.1080/23727810.2017.1381932
68. Graham K, Bernards S, Laslett A-M, et al. Children, Parental Alcohol Consumption, and Intimate Partner Violence: a Multicountry Analysis by Perpetration Versus Victimization and Sex. *Journal of Interpersonal Violence*. 2021;36(11–12):5608–5634. doi:10.1177/0886260518804182
69. Young R, Tully M, Ramirez M. School Administrator Perceptions of Cyberbullying Facilitators and Barriers to Preventive Action: a Qualitative Study. *Heal Educ Behav*. 2016;44(3):476–484. doi:10.1177/1090198116673814
70. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71. doi: 10.1136/bmj.n71.

Journal of Multidisciplinary Healthcare

Dovepress

Publish your work in this journal

The Journal of Multidisciplinary Healthcare is an international, peer-reviewed open-access journal that aims to represent and publish research in healthcare areas delivered by practitioners of different disciplines. This includes studies and reviews conducted by multidisciplinary teams as well as research which evaluates the results or conduct of such teams or healthcare processes in general. The journal covers a very wide range of areas and welcomes submissions from practitioners at all levels, from all over the world. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/journal-of-inflammation-research-journal>