

Quality and Nutrient Loss in the Cooking Vegetable and Its Implications for Food and Nutrition Security in Ethiopia: A Review

Yohannes Gelaye 

Department of Horticulture, College of Agriculture and Natural Resources, Debre Markos University, Debre Markos, Amhara, Ethiopia

Correspondence: Yohannes Gelaye, Email yohanes_gelaye@dmu.edu.et

Abstract: Africans are leaving a period of increased unpredictability of new and emerging crises, from the pandemic to war and climate catastrophes. Only if we invest in boosting our capacity to respond to various crises will Africans be able to survive and thrive. Ethiopia is pursuing diversification of its food and nutrition security. However, preparation and consumption problems contribute to a health risk linked to malnutrition. Thus, the purpose of this review is to scrutinize preparation methods, evaluate nutrient losses, and outline future agendas. Vegetable preparation is neglected in Ethiopia, and the methods, cooking standards, and nutrient loss are all not identified. Likewise, the health risks and fate of malnutrition in the country are increasing extraordinarily. Ethiopian traditions of vegetable cooking are not supported by technology, food makers are not equipped with training, and the government is not concerned about the problems. Vitamins and minerals are entirely lost from vegetables during the cooking process, leading to the development of health risks such as stunting, wasting, and underweight problems. The government does not monitor, check, and evaluate cooked vegetables. Hence, Ethiopia should set cooking standards, and of all methods scrutinized, 2–5 minutes (leafy), 5–10 minutes (roots and tubers), and 3–8 minutes (stem) are recommended by many scholars as the standard for cooking vegetables.

Keywords: cooking standards, cooking vegetables, malnutrition causes, nutrition, school feeding

Introduction

Vegetables are an important source of many nutrients, such as potassium, dietary fiber, vitamin A, and vitamin C, and they can lower blood pressure, reduce the risk of heart disease and stroke, and help to prevent certain tumors.¹ It reduces the risk of eye and digestive problems, has a positive effect on blood sugar, and helps control appetite.²

Vegetables are called protective foods because they play an important role in a balanced diet, as their consumption prevents various diseases and, in addition to energy, they also provide important protective nutrients such as minerals and vitamins.³ A healthy diet is essential for good health and nutrition and protects against many chronic noncommunicable diseases, such as heart disease, diabetes and cancer.⁴ Vegetables are an excellent source of vitamins, minerals, other phytochemicals, and micronutrients, and eating vegetables daily is important for good health and provides antioxidants and fiber. Studies show that,⁵ people who eat five or more servings of vegetables a day are less likely to develop many diseases, including cancer and heart disease. There are different types of vegetable preparation methods across the world, and six techniques have been described by many scholars,⁶ namely, sautéing, blanching, steaming, boiling, frying, and freezing. According to the researchers,⁷ each method has its own positive and negative aspects related to the quality of the vegetables during preparation.

The term frying means frying vegetables into small pieces and involves the transfer of heat from cooking materials called pans to vegetables, and it has its own meaning in achieving the ideal quality of cooked vegetables.⁸ If anyone has ever parched onions or cherry tomatoes and softened peppers (known as siggo in Ethiopia), toss them over pasta for a quick and healthy dinner and probably sauté them first.⁹ At the same time, if anyone is skipping more than one vegetable at a time, experts recommend knowing which vegetables to jump first.¹⁰ However, it is recommended to sauté

the toughest vegetables first, and the most common examples are carrots or cauliflower. Professionals have also said that,¹¹ onions take some time to cook, while zucchini and squash take less time and garlic takes even less time. Therefore, to maintain the optimum amount of essential nutrients from those vegetables, the method of preparation and the time taken during preparation are important. Experts strongly disapprove¹² of very high temperatures during the cooking process and make sure that vegetables do not burn. In particular, it is recommended to cook the onions for only 10 minutes so that they keep their shape.¹³ Research reports have indicated that¹⁴ the onion flavor is more pronounced than that of caramelized onion because caramelized onions are cooked over low heat for approximately 40–50 minutes until completely broken. When the onions are sautéed, they should give the dish flavor and color (soup, tomato sauce), and the yellow color is a very pleasant variety and ideal for caramelizing.¹⁴ In general, many writers have come to the conclusion that,² the time of the sauté depends on the type of vegetable that is harvested, the materials used for cooking, and the temperature level that we will use and that vegetables (such as spinach and kale) are 2 to 4 minutes, while firmer vegetables (such as carrots and broccoli) can take up to 10 minutes. However, the application of these standards is not reported by Ethiopia, and there are no survey data or figures on the country's prospects. It is clear that smaller pieces of vegetables cook faster than larger pieces, and to cook vegetables faster, nutritionists suggest chopping or cutting into small, even pieces.¹⁵ However, for roasting many vegetables, such as squash and cruciferous vegetables, cutting them into 1- or 2-inch pieces will help speed up the cooking process.⁸ Likewise, the thickness of the slices also determines the speed and level of temperature to use, which is why these things can affect some nutritional value.¹⁶

Nutritionists define cooking as cooking vegetables in water heated to the boiling point (100°C), and liquid boiling at high temperatures creates large bubbles at the bottom of the pan, rising rapidly and breaking the surface of the liquid.¹⁷ This can be achieved by eating cooked vegetables that are juicy and contain important nutrients, such as antioxidant and anti-inflammatory properties.¹⁸ Anti-inflammatory compounds for acne prevention and vegetable cooking minimize and maximize the diversity of nutrients in different types of produce.¹⁹ Whether eaten raw, cooked, microwaved, steamed, or roasted (among other cooking methods), these vegetables provide nutritional benefits.²⁰ Cooking helps breakdown the vegetable's cell walls and releases more nutrients, and cooking broccoli loses 5–10% of its total minerals.⁸ Many nutritionists have reported that²¹ frying changes the structure of volatile nutrients such as proteins, vitamins, and antioxidants, and certain compounds produced during the roasting process, such as trans-fatty acid and acrylamide, pose a risk to public health. Frying has little or no effect on the protein or mineral content of fried foods, while the dietary fiber content of potatoes increases after frying due to the formation of resistant starch.²¹ Fat-soluble vitamins, such as vitamins A and E, are usually depleted when vegetables are roasted, and compared to developed countries, low- and middle-income countries such as Ethiopia lack almost all the ingredients needed to prepare and cook vegetables.²² In African countries, foods that are boiled include vegetables, pulses such as peas and beans, tubers such as potatoes and cassava, and grains such as rice. For instance, in northern Uganda, groundnut is added to boiled dishes as a sauce. Boiling, steaming, and broiling are also utilized to prepare different vegetable crops in Africa, including sub-Saharan countries. Malnutrition is a major problem, especially in low-income countries, and includes low vegetable consumption, social and cultural consequences, and low income.²³ However, nutritional depletion of vegetables according to proper cooking practices is a major problem and has not been studied and well documented in sub-Saharan countries such as Ethiopia.²⁴ All cooking methods are traditionally used without regard to vitamins, minerals, carotenoids, and other important nutrients,²⁵ and no studies have even been conducted to establish national cooking standards for major vegetable crops. Malnutrition restrictions are rampant in Ethiopia, including stunting, wasting and underweight.²⁶ The contribution of vegetable preparation to improving nutrition, especially in developing countries, including Ethiopia, has not yet been established. Traditional Ethiopian food-making experiences, especially for vegetables, are not yet well studied and documented.²⁷ The global population is booming dramatically and expected to exceed 9 billion by 2050, which in turn requires doubling food production to feed this population; thus, food and nutrition security is a global top priority (zero hunger challenge). In this regard, the methods of preparation of vegetables, the degree of loss of nutrients, and alternative solutions are not discussed. Thus, the purpose of this review is to scrutinize the important methods of vegetable preparation, evaluate nutrients and the level of nutrient loss, and define future research agendas.

Methodology

During the process of conducting a literature search for this review, the author has used different strategies, and reputable journals from Scopus, Web of Science, and PubMed databases have been also used for the write-up of this review.

Overview of Vegetable Consumption in Ethiopia

The World Health Organization endorses consuming at least 400 g of vegetables per day.²⁸ However, global vegetable consumption does not meet World Health Organization recommendations, and one study found that only 10% of adults ate the recommended amount of vegetables.²⁹ China is the largest consumer of vegetables in the world (50%), and Latvia (44%), Romania (41%), and Hungary (30%) consume the fewest vegetables.³⁰ Eighty percent of Italians and 78% of Portuguese say they eat a variety of vegetables every day.³¹ Although only okra and maize are common in Africa, tomatoes, cucumbers, mustard, pumpkin, carrots, and spinach are sometimes used as vegetables.³² Life without vegetables is still possible, and some Tuaregs live with very limited amounts of vegetables common in arctic and desert regions.³³ According to the statistics of the Ethiopian Central agency report, the arable land in Ethiopia is 453,608.8 hectares, and the annual production is 1,812,461.35 tons. It should be noted that vegetables represent approximately 1.43% of the total agricultural area of the country, including all urban and rural settlements.³⁴ However, the consumption of vegetables in Ethiopia is very low, and only 1.5% of Ethiopians consume the World Health Organization recommended serving of 5 servings per day, and women consume slightly more (1.0–8%).³⁵ Compared to men (1.2%), this relationship is in unadulterated divergence to Ethiopia's geographical location, capacity, and capabilities, as we know much about Ethiopia's potential resources.

Vegetable Preparation Method

In general, blanching, dehydrating, canning, freezing, fermenting, pickling, and irradiation techniques are common steps in the preparation of vegetables.³⁶ Blanching is mainly used to inactivate enzymes that brown, cause texture changes and bad taste and is used to peel fruit, vegetables, and nuts because steam peeling creates less pollution.³⁷ Dehydration is used to extend the shelf life of food by removing water content, and it is also one of the oldest and most widely used food preservation methods, predating many modern methods such as canning and freezing.³⁸

Canning is a method of sterilizing foods, including vegetables, by heating them in airtight containers to produce a commercially sterilized product that keeps foods at room temperature for months or even years while maintaining food safety and organoleptic quality.³⁹

Freezing is a method of preserving vegetables (food) by lowering the temperature to inhibit the growth of microorganisms,⁴⁰ and the method has been used in cold regions for centuries. As early as 1842, a patent was granted in Britain for freezing food by immersion in ice and brine.

Fermentation is used to produce lactic acid, which is found in acidic foods such as pickles, kombucha, kimchi, and yogurt and in the production of alcoholic beverages such as wine and beer.⁴¹ Pickling is the soaking of food in a solution of salt, acid, or alcohol and is compatible with most foods, including fruits, vegetables, seafood, etc.³⁹

Irradiation is used to reduce or eliminate the risk of food-borne pests and diseases and to prevent or delay the decline and maturation or germination of plants.⁴² Depending on the dose, some or all existing organisms, microbes, bacteria, and viruses are destroyed, delayed or unable to reproduce.⁴³ The culinary report states that,²⁵ vegetables must be cooked very carefully to obtain the required level of minerals and vitamins because careless cooking of vegetables destroys the plant's cell wall, releasing more nutrients bound to the cell wall. Cooked vegetables may contain more antioxidants than raw vegetables, including beta-carotene, lutein and lycopene.⁴⁴ However, studies have shown that,⁴⁵ most overcooked and raw vegetables are not nutritionally important and should not be eaten.

Since most vegetable items consumed by humans are subjected to a multitude of preparatory methods, how the vegetable is cooked becomes the greatest consideration as far as vegetable and nutritive value correlations are concerned.⁴⁶ An overgeneralization of cooking would be the application of varying degrees of thermal energy to vegetable ingredients for varying amounts of time. However, a high degree of variation is possible as far as varying cooking time and heating intensity for different cooking methods are concerned. Subsequently, cooking vegetables may determine not only the nutrition content but also the nutrition biochemistry.⁴⁷ Therefore, on the one hand, cooking

vegetables has a significant influence on the nutritional contents of the diet. These effects have significant implications for the nutritional components of vegetables, namely, protein, polyphenols, polysaccharides, flavonoids, total antioxidants, free amino acids, and carotenoid contents, which are important nutrients for life.⁴⁸ The B-carotene content of some selected vegetables is different, which is due to the implications of cooking (Table 1).

Nutrition and Associated Factors

The Impact of Culture on Nutrition in Ethiopia

Although many authors report that,⁴⁹ Ethiopian meals are rich in vegetables, such as carrots, beets, tomatoes, red onions, mushrooms, cabbage, and beets, the country suffers mainly from four problems of malnutrition, namely, acute and chronic malnutrition, anemia of iron deficiency (IDA), vitamin A deficiency (VAD) and iodine deficiency disorder (IDD). Hence, the poor preparation techniques of vegetables and the lack of skills in society are likely reasons for this finding.⁵⁰ In Ethiopia, almost all people are not familiar with the techniques of cooking vegetables, so all houses cook vegetables in the traditional way, regardless of the nature or type of vegetable.⁵¹ This, in turn, depletes and negatively affects the levels of vitamins, essential minerals, antioxidants, carotenoids, and other macro- and microelements, exposing the society to a variety of problems.⁵² On the other hand, the low intake of micronutrients reflects the fact that the Ethiopian diet is still mainly composed of cereals and legumes.³⁵ Moreover, the variety of vegetables alone does not guarantee better nutrition; rather, it is the method and degree of preparation of the vegetables that is important.⁵³ Another factor affecting the diet in Ethiopia is religion, which has a major impact on Ethiopian life. In Ethiopia, almost 2/3 of the Ethiopian population identifies as Orthodox Christian, and there is also a large Muslim population; others adhere to an ancient form of Judaism.⁵⁴ Ethiopian religions have a significant impact on vegetable consumption, and people with strong religious beliefs are more likely to buy fat-free, sugar-free, or gluten-free foods than natural or organic foods.²⁷ Religious beliefs influence a person's value system, traditions, and food practices, which in turn can influence food choices, and the degree of a person's devotion to his religion can influence whether he adopts the eating habits of that religion. Therefore, religious issues can have a major impact on the food we buy, sell and consume.⁵⁵ For example, Muslims will not eat meat such as beef or lamb that has not been slaughtered according to the halal method, while those of the Jewish religion will only eat kosher food.⁵⁶ Most religious leaders, including patriarchs, priests, archbishops, pastors, sheikhs, and ustazes, make no effort to advise their followers on growing, preparing, and eating vegetables. Rather than offering advice, some leaders are trying to demonize trends in vegetable consumption and growing practices that influence nutrition safety strategies. Ranging from material technologies to implicit ideologies and symbols, socio-cultural nurturing factors follow an original pattern.⁵⁷ Ethiopia is a multicultural and multiethnic country, and the impact of culture on health is huge.⁵⁸ It influences perceptions of health, illness and death, beliefs about the causes of illness, approaches to health promotion, how illness and pain are experienced and expressed, where patients seek help, and what types of treatment patients prefer. Cultural differences can play an important role in human nutrition and must be taken into account in clinical and public health interventions, especially in areas with high immigrant density. Culture shapes food and eating habits and food preferences and determines what constitutes a good meal and how, when, and where to eat. According to the existing Ethiopian culture,⁵⁹ the repeated consumption of meat is an attribution and characterization

Table 1 The Effect of Cooking on the B-Carotene Content of Some Vegetables Consumed in Ethiopia

Type of Vegetables	B-Carotene Content (Nano/100gm)		Cooking Methods	References
	Raw	Cooked		
Kale	6100.45	4400.08	Sautéing	[128]
Carrot	5800.09	4300.30	Steaming, Boiling, braising	[129]
Spinach	800.12	500.18	Steaming and blanching	[130]
Cabbage	46.97	12.47	Boiling or blanching	[130]
Tomato	200.29	-		
Pumpkin	200.63	-		

Note: Own collection and synthesis.

of wealth, while the consumption of vegetables is an identification of a poor society. Clearly, red meat has more protein than other foods, including vegetables. However, this does not mean that vegetables are not nutritionally important. Culture can have a significant effect on which foods are accessible and which foods we choose to eat. According to the Nutrition for Oral Health and oral manifestations report,⁶⁰ cultural factors such as insufficient exposure to fluoride, life in a poor or disadvantaged country, insufficient access to good dental care, unhealthy diet, poor oral hygiene, tobacco use and excessive alcohol consumption increase the risk of dental health poverty.

Nutrition in Ethiopia - The Impact of Economic Factors

Economic factors are important because they can affect personal food preferences, status, and health, and economic decisions such as price and income affect people's food choices, including vegetables.⁶¹ The economy influences not only food choices but also the types of kitchen equipment purchased to prepare vegetables.⁶² Some cooking utensils are available in most Ethiopian households but have not been scientifically proven to improve and maintain the cooking quality of vegetables.⁶³ Additionally, the cost of vegetables is a barrier for low-income families, including those in Ethiopia, to make healthier food choices.⁶⁴ Many researchers report that,⁶⁵ people of higher socioeconomic status are more likely to have healthier food choices, while those of a lower social class have nutrient profiles that are less consistent with dietary recommendations or dietary guidelines, which contributes to their poorer state of health. For example, in Africa (Ethiopia, Eritrea, Sudan, Nigeria, and others), the root causes of malnutrition are poverty, inadequate food production, inadequate food intake, ignorance and unequal distribution of food, poor food storage techniques, improper food preparation, food restrictions and taboos and poor hygiene.

Employment, wages, price/inflation, interest rates, and consumer confidence are the economic factors that influence consumer demand the most, and poverty increases the risk of malnutrition.⁶⁶ Poor people are more likely to suffer from various forms of malnutrition; in addition, malnutrition increases healthcare costs, reduces productivity, and slows economic growth, potentially perpetuating a cycle of poverty and disease.⁶⁷

Nutrition awareness and experience are extremely low in Ethiopia, and most societies, both urban and rural, have no knowledge of nutrition.⁶⁸ The Ethiopian government and social institutions do not actively promote food and its social and economic benefits.⁶⁹ According to the researchers,⁷⁰ diet has a significant socioeconomic impact, and the poorer a country's economy is, the poorer its diet, and apart from higher education, no education sector in Ethiopia has addressed nutrition and related issues. Overcooked vegetables will not make you ooh and aah because they lose their visual appeal, become mushy, and lose much of their natural flavor.⁷¹ Cooking destroys some of the nutritional value of vegetables; for example, vitamin C is destroyed by heat, so the longer you cook, especially at high temperatures, the less vitamin C will remain.⁷² Cooked vegetables may experience undesirable changes in color, texture, and flavor, and for most authors,⁷³ it is better that vegetables are clear and flavorful with some crunch rather than burnt and limp, and the water-soluble vitamins are lost in the cooking water and the vegetables lose more vitamin C, thiamine, riboflavin, vitamins B6 and B12, niacin and folate. Water-soluble vitamins C and B, which can lose up to 50% and 60% of their effectiveness when cooking vegetables, are two of the most vulnerable to loss.⁷⁴ According to the research results,⁷⁵ some minerals are lost in the water during cooking; however, they survive better than vitamins and to a lesser extent, so the economic level somehow affects nutrition and related aspects.

The Impact of Media on Food Preparation

Researchers reported that,⁷⁶ the first phase of nutrition and media, began in the early 1900s and included the discovery of vitamins, the elucidation of many basic nutritional needs, and the widespread teaching of nutritional principles in medical schools. According to expert descriptions,²⁷ nutrition communication has been defined as the process by which nutritional knowledge is converted into dietary change. Clearly, nutrition education gives students important skills they can use to improve their health throughout life and involves teaching nutrition-related information that empowers individuals, families, and communities to make healthy food choices and how to respond to preparation.⁷⁷ According to expert reports,⁷⁸ the media is still the main source of nutrition information in various parts of the world, such as in the developed world, and it is recognized that the media plays a large role in raising awareness and conveying messages around nutrition. Good nutrition and healthy eating diets for the masses and in leading advocacy efforts to ensure that

nutrition remains a political priority and that the right policies and governance structures are in place.⁷⁹ They largely determine what consumers hear, read, and believe about food and health. While nutrition education activities typically focus on educating individuals on proper cooking methods for vegetables, healthy eating habits, and lifestyles, communication recognizes that the eating behaviors of an individual are the product of its continuous interaction with the environment.⁸⁰ As many critics suggest,⁸¹ food companies use social media to market their products by targeting societal demands, such as the cooking method. Scientists⁸² are increasingly concerned that nutrition-related content on social media makes us think differently not only about food but also about the preparation techniques and the materials used to prepare it. Some activities in Ethiopia were also carried out in Ethiopian media and social media. For example, Giordana's Kitchen Show, Chef, Yohannes Show, Mama's Kitchen, and others are some of the leading food preparation shows trying to produce programs for cooking vegetables, considering the positive and negative effects on minerals, vitamins, carotenoids and other essential nutrients. Mass media in Ethiopia include radio, television, and the Internet, which remain under the control of the Ethiopian government, as well as private newspapers and magazines.⁸³ Ten radio stations, eight ante meridiem (AM) and two shortwave stations are licensed to operate in Ethiopia, but no radio or television has programs on food preparation, including cooking vegetables. In addition, the influence of media on food preparation (vegetable preparation) is still unstudied and not well documented, so Ethiopia should focus heavily on its media and use it for food preparation technologies.⁸⁴

On the other hand, these media report the social, economic, and political problems of malnutrition and related national problems, which are necessarily ambiguous.⁸⁵

Malnutrition Causes and Risks

Research results show that,⁸⁶ poverty increases the risk of malnutrition and the risk of malnutrition and that poor people are more likely to be affected by various forms of malnutrition. Malnutrition also increases healthcare costs, reduces productivity, and slows economic growth, which can continue a cycle of poverty and disease.⁸⁷ There is a mutual link between malnutrition and poverty, creating a vicious circle in which one feeds the other. Malnutrition creates poverty by reducing the economic potential of the population, and in the same way, poverty reinforces malnutrition by increasing the risk of food insecurity.⁸⁸ Malnutrition refers to the intake of too little or too much of certain nutrients and can lead to serious health problems, including stunted growth, eye problems, diabetes, and heart disease.³⁵ Experts have shown that,⁸⁹ malnutrition is caused by a lack of nutrients, either due to poor diet or problems absorbing nutrients from food or improper cooking techniques. Improper eating habits and bad cooking habits are boldly mentioned by various authors as causes of malnutrition.⁹⁰ It is clear that malnutrition makes children more vulnerable to frequent infections, increases the severity of these infections, and prolongs the healing process.⁹¹ According to nutritionists,⁹² by 2030, there will be an estimated 129 million children under 5 whose growth will be stunted due to malnutrition if the severity of malnutrition persists, and with this major challenge, the lack of proper preparation of vegetables can go a long way.

Malnutrition and School Feeding in Ethiopia

Worldwide, approximately 165 million children under the age of 5 are stunted, and outcomes associated with dwarfism include increased risk of death, increased risk of disease, developmental delay, decreased school performance and learning, and decreased child productivity life processes.⁹³ It is recognized that the brain develops rapidly at a young age; however, malnutrition at this stage disrupts sleeping and makes the child tired of the whole day at school.⁹⁴ However, without adequate nutrients, the brain does not develop properly, which has long-term effects on learning. Preschool malnutrition can affect cognitive outcomes in school-aged children and adolescents, and, for example, clinical studies have found an association between vitamin B₁₂ deficiency at an early age and lower scores on cognitive tests in adolescence.⁹⁵ In addition, malnutrition is considered an urgent problem that affects children's ability to learn and leads to low levels of performance in school.⁹⁶

Food education provides accurate information about food so that people can make the best choices about nutritional value, cooking methods, food quality and safety, storage and processing, and healthy eating.⁹⁷ Malnutrition has a negative impact on the learning and physical development of children and seriously affects the productivity of adults

and the economic development of society as a whole.⁹⁸ Children of illiterate mothers are three times more likely to be malnourished than children of mothers who study in the adult group, and adult mothers have 34% fewer children than illiterate mothers.⁹⁹ Thus, nutritional facts emphasize creativity, communication, collaboration, and critical thinking as important factors, and good nutrition ensures that students come to school ready to learn, and children who are food insecure are more likely to miss and fail grades than children who are food secure.¹⁰⁰

Food insecurity has been shown to reduce children's chances of graduating from high school, and therefore, properly and expertly prepared vegetables can enhance their performance.¹⁰¹ School meal programs can provide low-cost nutrition interventions as well as opportunities to practice healthy eating and food safety, and in food-poor communities such as Ethiopia, these programs help fight malnutrition and send children to school.¹⁰² Nutrition education is a powerful tool to improve and change the eating habits of students.¹⁰³ Thus, it prevents the dietary risk of stomach cancer and other chronic diseases, and the combination of educational strategies to promote voluntary adoption of food choices, along with appropriate preparation methods, is beneficial for health and well-being.¹⁰⁴ In Ethiopia, 11 million people across the country are recognized as responsible for food and nutrition.³⁵ However, in Ethiopia, Addis Ababa launched a school meal program through a government system, and recently, the Oromia zone has been trying to feed some students in many schools. Remarkably, Ethiopia has reported a total of 21,418,000 students in primary and secondary education.

Vegetable Preparation and Malnutrition Problems in Ethiopia

In Ethiopia, the habit of food preparation in general and vegetable preparation in particular is not well researched and documented. The methods of vegetable preparation, the level of nutrient loss, and alternative solutions have not been studied.¹⁰⁵ As vegetables require knowledge, skill, and practical experience, food makers and consumers should understand the methods. The research authors said that,⁸ different vegetables require different cooking methods, and the cooking method can be considered based on the impact on essential nutrients, vitamins, and essential carotenoid content. Remarkably, in Ethiopia, most vegetables are cooked using traditional methods, and green vegetables, such as cabbage, lettuce, Swiss chard, kale, spinach, and parsnips, are prepared without regard to loss of nutrients, and most vegetables are cooked indefinitely. In rural areas of Ethiopia, headed cabbage is cooked for more than three hours, rendering the vegetable nutritionally irrelevant to the body.¹⁰⁶ Therefore, along with cultural factors, income problems, and other factors, poor cooking traditions contribute greatly to the malnutrition problem in Ethiopia. Food preparation and related institutes are not established in most areas of Ethiopia, and thus, the wider communities are not aware of vegetable preparation. Even the government systems of Ethiopia have no segments in their structures that can provide information about food preparation. Similarly, Ethiopia's religious and other social institutions, such as Equb, Eddir, Senbete, and Mahiber (for Ethiopians only), are not also concerned about food preparation, and its implications for malnutrition are a national headache in Ethiopia.⁵⁵ Some Ethiopian hotels have standardized vegetable cooking materials, such as multipurpose bakeware, spice grinders, pressure cooks, good knives, large cutting boards, mixing bowls, wooden spoons and spatulas, measuring cups, tongs, and drying ovens. Similarly, different types of vegetable cooking materials are used for vegetable preparation in restaurants, cafeterias, government (universities, colleges, sports academies, hospitals), and nongovernmental offices. However, at the household level, the types of materials (kitchen tools and equipment) used for vegetable cooking are not selected on the basis of the type and nature of the vegetables. In most Ethiopian households, similar cooking materials are used for vegetable preparation, such as clay-made and steel-made dishes.¹⁰⁷ Additionally, women are using the same type of cooking materials for different food preparation purposes, such as Ethiopian shiro-wot (It is made of pulse crops especially pea, bean, chick pea powder with a mix of spices (onion, garlic, oil, salt, water, green pepper, tomato) Ethiopian tibs (It is made of red meat with a mix of spices (onion, garlic, rose marry, butter, oil, salt, green pepper), and vegetable cooking. Therefore, in one way or another way, the concept of vegetable preparation is not extensively addressed by the wider Ethiopian community. At the household level, athletes are also trying to use the right types of cooking materials to attain the required amount of essential nutrients from vegetables.¹⁰⁸ For example, famous Ethiopian athletes such as Haile Gebrselassie, Tirunesh Dibaba, Kenenisa Bekele, Derartu Tulu, and others are mentioned by different scholars that they are warning athletes regarding nutrition, and for this vegetable consumption, it is the first and foremost experience. Athletes must take optimal amounts of nutrients from vegetables and other recommended foodstuffs, and they are advised to use properly cooked and prepared vegetable crops.²⁴ At the same time, patients in hospitals, clinics, and other health

institutions are suggested to eat properly cooked vegetables, as these contain powerful healing nutrients, and several health officers have reported that vegetable consumption is the first remedial treatment to be initiated.¹⁰⁹ Many experiences have also been reported from Ethiopian military sectors, although the limitations are too wide. In Ethiopia, more than 65 million people are not accessible to electricity, and power is not used for food preparation, including vegetables.¹¹⁰ Hence, standardized vegetable cooking and maintenance technologies, such as drying ovens, sterilizers, autoclaves, refrigerators, and other household materials, do not exist in more than 65 million people in Ethiopia. Currently, Ethiopia is building different energy sources, such as dams (Ethiopian Great Renaissance dams such as GERD), geothermal energy, wind energy, solar energy, and biogas energy, which can solve the scarcity of power (deep-rooted problems of Ethiopians) in multidimensional ways. When the absence of power is resolved in a wider scope, food preparation (vegetable preparation) technologies can also be enhanced either to follow the standard or better experience in cooking vegetables. Excluding some hotels and restaurants in Ethiopia, all communities in the country are using fuel wood and charcoal for the cooking of vegetables and other food preparations, meaning that the level of temperature and overall quality of the vegetables are not maintained with standard procedures.¹¹¹ This severely deteriorates the quality and contents of essential minerals, antioxidants, vitamins, and carotenoids. Except in the higher education institutions and some of the technical, vocational, and educational institutions, all elementary and secondary schools are not educating food preparation, and the course is not included in the curriculum at all. This is a critical link that has been missed by the education sector in Ethiopia. However, the malnutrition problem is extremely hindering the performance of learners from nurseries to universities and gradually to country development.¹¹² Researchers have proposed that,¹¹³ tackling malnutrition should be a global agenda, and the goal of the world should be similar to that of cancer, climate change, and others. Within the current situation, education quality is extremely poor in Ethiopia, which can be related to malnutrition problems caused by a lack of awareness of vegetable preparation since vegetables can have significant quantities of vitamins, essential minerals, and carotenoids. Although some research has been performed on other factors that contribute to malnutrition problems, the contribution of overcooking vegetables has not yet been studied in Ethiopia. Remarkably, governmental and nongovernmental organizations that are investing and working in nutrition areas are not trying to provide training and demonstrate vegetable preparation and related problems.¹¹⁴ Simply, their thought mainly focuses on balanced diet consumption, and even they are not capable of cooking vegetables for their home consumption. Therefore, the problem is multifaceted in Ethiopia in particular and Africa in general. There are many nutrition projects designed for malnutrition reduction in Ethiopia, and these are not involved in vegetable preparation issues; thus, vegetable preparation training, workshops, conferences, and academic debates are not carried out.¹¹⁵ The other major problem is that the trends, experience, reality, facts, level, and status of vegetable cooking and preparation in Ethiopia have not yet been researched, and no document has been prepared, which in turn is increasing the exertion.

Cooking Vegetables - The Most Common Malnutrition Problems

As many writers have acknowledged,⁴⁵ overcooking vegetables leads to the greatest loss of nutrients, while proper cooking techniques preserve the nutritional value of foods more effectively. Vitamin C is an important nutrient that is easily destroyed by cooking, and even when cutting or mincing vegetables, some vitamin C is lost.¹¹⁶ Vitamin C has also been reported⁴⁰ to be lost when vegetables are washed after cutting and when cut vegetables are exposed to the air for a long time before cooking. For example, it has been reported that,¹¹⁷ carrots should remain bright orange, although their color can fade slightly if overcooked and cause a loss of nutrients. Globally, standards for cooking carrots with different cooking methods range from 5 to 15 minutes,¹¹⁸ and in Ethiopia, the total experience of cooking vegetables is still unknown (Table 2). However, malnutrition-related problems in Ethiopia are much higher than the World Health Organization average.¹¹⁹ Ethiopia is largely called by sub-Saharan Africa as the country most affected by stunting (38%), wasting (10%), underweight (24%), and vitamin and mineral deficiencies (60–70%) overall (Table 2), and for this large barrier in Ethiopia, vegetable cooking problems account for the largest share. Similarly, overcooking broccoli has been reported¹²⁰ to cause it to break apart, lose color, diminish flavor, lead to the loss of many nutrients, and contribute to malnutrition issues (Table 3). Its cooking standard has also been established in Ethiopia but has not yet been identified. Problems with cooking cauliflower are said to make it mushy and crumbly, and it also gives off a sulfurous smell rather than cooks, and the longer the cooking time, the stronger the smell generally mentioned by various scholars.¹²¹

Therefore, like any vegetable, overcooking can also reduce the nutritional value of this super vegetable (Table 3), and overcooking will cause it to fall apart and lose its color, flavor, and nutrients. Cooking spinach longer makes the leaves slimy and the bitter taste more prominent, and the researchers suggested,¹²² not reheating cooked spinach after refrigerating it. Because spinach loses so much volume when cooked, a cup of cooked spinach contains far more leafy greens, which more than compensates for the loss of water-soluble vitamins.¹²³ Overall, many writers have reported that,¹⁰⁵ cooking has the strongest effect on heat-sensitive nutrients. Regarding the cabbage crop, it has also been reported that,¹²⁴ overcooking causes a mushy, sticky, and very unpleasant odor (Table 3), and the odor is caused by sulfur compounds released when the cabbage is overcooked. However, malnutrition-related problems in Ethiopia are much higher than the World Health Organization average, and for this large difficulty in Ethiopia, vegetable cooking problems take the largest part.

Food Security - The Importance of Nutrition

According to the definition of food security scientists,¹²⁵ food security is necessary to maintain an optimal nutritional status, and the emphasis of the definition is on the need for nutritious food as well as food in adequate amounts (in calories) and of adequate quality (in terms of variety and micronutrient composition). Food security means that people always have access to safe and nutritious food for an active and healthy life, and it is also about making appropriate use and absorption of nutrients from food for a healthy and active life.¹²⁶ Therefore, affordability and utilization are

Table 2 Cooking Standards of Selected Vegetables and Figures of Malnutrition in Ethiopia and the World

Cooking Methods	List of Vegetables	Cooking Standards (Minute)	Malnutrition Percentage in Ethiopia and WHO Average (*)				References
			Stunting Percentage	Wasting Percentage	Underweight Percentage	Vitamin and Mineral Deficiency	
Boiling	Broccoli	6–8	38% (21.9*)	10% (7.3*)	24% (9.7*)	60–70% (31*)	[130]
	Cauliflower	5–10					
	Cabbage	12–15					
	Asparagus	1–10					
	Beetroot	45–1 hr.					
	Carrot	4–12					
	Lettuce	10–12					
	Leek	18–25					
	Spinach	3–5					
Steaming	Broccoli	10–12	38% (21.9*)	10% (7.3*)	24% (9.7*)	60–70% (31*)	
	Cauliflower	4–8					
	Cabbage	6–8					
	Asparagus	4–5					
	Beetroot	30–40					
	Carrot	10–12					
	Lettuce	20					
	Leek	10					
	Spinach	3					

(Continued)

Table 2 (Continued).

Cooking Methods	List of Vegetables	Cooking Standards (Minute)	Malnutrition Percentage in Ethiopia and WHO Average (*)				References
			Stunting Percentage	Wasting Percentage	Underweight Percentage	Vitamin and Mineral Deficiency	
Blanching	Broccoli	30–60	38% (21.9*)	10% (7.3*)	24% (9.7*)	60–70% (31*)	
	Cauliflower	2					
	Cabbage	3–5					
	Asparagus	3–4					
	Beetroot	5					
	Carrot	3					
	Lettuce	1					
	Leek	30					
	Spinach	2					
Stir-frying	Broccoli	4–5	38% (21.9*)	10% (7.3*)	24% (9.7*)	60–70% (31*)	
	Cauliflower	5					
	Cabbage	8–12					
	Asparagus	3					
	Beetroot	15–20					
	Carrot	9–10					
	Lettuce	10–12					
	Leek	8–10					
	Spinach	30–60					
Sauteing	Broccoli	3–4	38% (21.9*)	10% (7.3*)	24% (9.7*)	60–70% (31*)	
	Cauliflower	6					
	Cabbage	10–15					
	Asparagus	3–4					
	Beetroot	30–60					
	Carrot	7–8					
	Lettuce	10–12					
	Leek	10–15					
	Spinach	3–5					

Note: Own collection and synthesis.

Abbreviation: *WHO, World Health Organization.

important for food and nutrient security. Thus, the problem is not only in the supply chain but also in the preparation process. The World Health Organization (WHO) and the Food and Agriculture Organization of the United Nations (FAO) are more concerned with food and nutritional security, and nothing starts with food preparation technology and related processing methods. The contribution of culinary problems, especially in vegetables, has not yet been studied and reported by the World Health Organization and the United Nations Food and Agriculture Organization.²⁷ To ensure

Table 3 The Impact of Cooking on Selected Vegetables and Associated Problems

List of Vegetables	Losses Due to Cooking Problems								
	Broccoli	Cauliflower	Cabbage	Asparagus	Beetroot	Carrot	Lettuce	Leek	Spinach
Effects of cooking problems	Loss of >50% Vit.C and B	Loss of minerals and antioxidants	Vitamin loss	Loss of heat sensitive nutrients like Vit. C	Loss of Soluble fiber	Loss of Soluble fiber	Loss of >50% Vit.C	–	Loss of >50% Vit.C
	Texture, flavor, color and nutrient content loss	Mushy and loss a lot of their natural flavor	Decrease the amount of K, Mg Ca, and sodium	Minerals antioxidants and fiber Oxidative damage	–	–	Loss of Anthocyanins	Loss of Vit A, C, and K	–

Note: Own collection and synthesis.

Abbreviation: Vit., vitamins.

sustainable food and food products for the rest of the world, these large organizations must pay close attention to food preparation techniques in general and vegetables in particular. Researchers have reported that,¹²⁷ cooking vegetables can change the amount of nutrients we obtain when we eat them, but this is not always negative.

Conclusion

Food and nutrition security is under great intimidation with a changing population. However, population growth and food and nutrition issues are not advancing in parallel. This review entails that with inappropriate methods of cooking vegetables, the quality of vegetables (taste, color, flavor, and aroma) and the content of nutrients such as vitamins, minerals, carotenoids and antioxidants can be affected, but the degree of nutrient loss can vary depending on the type of vegetable, preparation methods, materials used in cooking, and the level of knowledge and skill of the food maker. Leafy greens are more sensitive to different cooking methods than stem, root, and tuber vegetables. Even with the same cooking method, nutrient loss varies from vegetable to vegetable and species to species. Overcooking vegetables can damage high levels of essential nutrients, and vegetable cooking is very old in Ethiopia and, except for a few hotels, the whole practice is traditional. Consequently, vegetable cookers must take a number of precautions to ensure the quality and safety of the food prepared in Ethiopia. Additionally, the government and other stakeholders should take steps to provide training and research to prevent nutrient loss and pay attention to health insurance.

Data Sharing Statement

The dataset that supports the findings of this review is included in the article.

Ethics Approval and Informed Consent

Not applicable.

Acknowledgments

The author acknowledges the anonymous editors and potential reviewers for their valuable input to the manuscript.

Funding

No funding was received for this manuscript.

Disclosure

The author declares no conflicts of interest for this work.

References

- Nazir A, Itrat N, Shahid A, et al. Orange peel as source of nutraceuticals. In: *Food and Agricultural Byproducts as Important Source of Valuable Nutraceuticals*. Springer; 2022:97–106.
- Sharma RK, Coniglio MA, Laganà P. *Natural Inflammatory Molecules in Fruits and Vegetables*. Springer; 2022.
- Yarizadeh H, Setayesh L, Majidi N, et al. Nutrient patterns and their relation to obesity and metabolic syndrome in Iranian overweight and obese adult women. *Eat Weight Disord*. 2022;27(4):1327–1337.
- Ali A, Waly MI, Bhatt N, Devarajan S. Bioactive components of plant protein foods in the prevention and management of noncommunicable diseases. In: *Plant Protein Foods*. Springer; 2022:381–405.
- Lu Y, Sugawara Y, Matsuyama S, Fukao A, Tsuji I. Association of dairy intake with all-cause, cancer, and cardiovascular disease mortality in Japanese adults: a 25-year population-based cohort. *Eur J Nutr*. 2022;61(3):1285–1297.
- Haverkort A, Linnemann A, Struik P, Wiskerke J. On processing potato: 1. survey of the ontology, history and participating actors. *Potato Res*. 2022;2022:1–38.
- Guldiken B, Konieczny D, Franczyk A, et al. Impacts of infrared heating and tempering on the chemical composition, morphological, functional properties of navy bean and chickpea flours. *Eur Food Res Technol*. 2022;248(3):767–781.
- Franke K, Djikeng FT, Esatbeyoglu T. Influence of frying, baking and cooking on food bioactives. In: *Retention of Bioactives in Food Processing*. Springer; 2022:93–121.
- Sobhani N, Zamindar N, Aarabi Najvani F. Effect of polypropylene packaging containing nanohydroxyapatite and modified atmosphere on the physicochemical and microbial properties of cherry tomatoes. *J Food Meas Charact*. 2022;16(1):307–323.
- Ammann J, Umstätter C, El Benni N. The adoption of precision agriculture enabling technologies in Swiss outdoor vegetable production: a Delphi study. *Precis Agric*. 2022;23(4):1–21.
- Moore LW. Healthy diet for kidney function. In: *Staying Healthy with Kidney Disease*. Springer; 2022:73–81.
- Ciolkosz D, Steiman M. On-Farm Energy Production: biofuels. In: *Regional Perspectives on Farm Energy*. Springer; 2022:139–148.
- Krishnappa B, Saravu S, Shivanna JM, Naik M, Hegde G. Fast and effective removal of textile dyes from the wastewater using reusable porous nanocarbons: a study on adsorptive parameters and isotherms. *Environ Sci Pollut Res*. 2022;2022:1–15.
- Oommen GT, Sathu T, Chen W-S. Further processing of duck meat and egg. In: *Duck Production and Management Strategies*. Springer; 2022:443–529.
- Nyonje WA, Yang R-Y, Kejo D, Makokha AO, Owino WO, Abukutsa-Onyango MO. Exploring the status of preference, utilization practices, and challenges to consumption of Amaranth in Kenya and Tanzania. *J Nutr Metab*. 2022;2022:1.
- Turgut SS, Karacabey E, Küçüköner E. A novel system—the simultaneous use of ohmic heating with convective drying: sensitivity analysis of product quality against process variables. *Food Bioproc Tech*. 2022;15(2):440–458.
- Hussain R, Huali X, Kumar A, Parveen R, Fatima I, Tawfeuk HZ. Discoloration of raw and cooked potatoes: fundamentals of nature, mechanisms, causes, measurements, and controls. *Am J Potato Res*. 2022;2022:1–20.
- Yesuraj D, Deepika C, Ravishankar GA, Ranga Rao A. Seaweed-based recipes for food, health-food applications, and innovative products including meat and meat analogs. In: *Sustainable Global Resources of Seaweeds Volume 2*. Springer; 2022:267–292.
- Pradhan B, Bhuyan PP, Patra S, et al. Beneficial effects of seaweeds and seaweed-derived bioactive compounds: current evidence and future prospective. *Biocatal Agric Biotechnol*. 2022;39:102242.
- Ravi R, Nandwani D, Nwosisi S. Volatile profiles of cooked organic sweetpotato by electronic nose. *Organic Agric*. 2022;12(1):17–32.
- Zhao Y, Wang X, Liao W, Xu D, Liu G. Study on nutritional quality and volatile aroma compounds of the stir-fried shredded potatoes. *Am J Potato Res*. 2022;2022:1–15.
- Pathak S, Nadar R, Deruiter J, et al. Cannabis as a unique and valuable nutraceutical formulation for the current and future global wellbeing. In: *Cannabis/Marijuana for Healthcare*. Springer; 2022:271–299.
- Eng CW, Lim SC, Ngongo C, et al. Dietary practices, food purchasing, and perceptions about healthy food availability and affordability: a cross-sectional study of low-income Malaysian adults. *BMC Public Health*. 2022;22(1):1–9.
- Aderibigbe O, Ezekiel O, Owolade S, Korese J, Sturm B, Hensel O. Exploring the potentials of underutilized grain amaranth (*Amaranthus* spp.) along the value chain for food and nutrition security: a review. *Crit Rev Food Sci Nutr*. 2022;62(3):656–669.
- Mahunu GK, Mariod AA. African fermented vegetable products. In: *African Fermented Food Products-New Trends*. Springer; 2022:265–276.
- Mekonnen GK, Mengistie B, Sahilu G, Kloos H, Mulat W. Etiologies of diarrhea and drug susceptibility patterns of bacterial isolates among under-five year children in refugee camps in Gambella Region, Ethiopia: a case control study. *BMC Infect Dis*. 2019;19(1):1–9.
- Hailelassie M, Redae G, Berhe G, Henry CJ, Nickerson MT, Mulugeta A. The influence of fasting on energy and nutrient intake and their corresponding food sources among 6–23 months old children in rural communities with high burden of stunting from Northern Ethiopia. *Nutr J*. 2022;21(1):1–15.
- Yiga P, Van Lippevelde W, Seghers J, et al. The conceptual framework for a combined food literacy and physical activity intervention to optimize metabolic health among women of reproductive age in urban Uganda. *BMC Public Health*. 2022;22(1):1–14.
- Kimura Y, Yoshida D, Ohara T, et al. Long-term association of vegetable and fruit intake with risk of dementia in Japanese older adults: the Hisayama study. *BMC Geriatr*. 2022;22(1):1–13.
- Ghinea C, Leahu A. Valorization of apple (*Malus domestica*) wastes. In: *Mediterranean Fruits Biowastes*. Springer; 2022:325–348.
- Moro E, Galletti R. Sharing food and conviviality in the mediterranean diet. In: *Some Ethnographic Examples. Making Food in Local and Global Contexts*. Springer; 2022:71–87.
- Singh J, Devi J, Sagar V. Vegetable biofortification: an underexploited silver lining for malnutrition management. In: *Biofortification of Staple Crops*. Springer; 2022:379–416.
- Reis J, Gerdau K, Buguet A, Spencer P. Migration, environment and climate change. In: *Neurology in Migrants and Refugees*. Springer; 2022:53–65.
- Hunde NF. Opportunity, problems and production status of vegetables in Ethiopia: a review. *J Plant Sci Res*. 2017;4(2):172.
- Samuel A, Osendarp SJ, Feskens EJ, et al. Gender differences in nutritional status and determinants among infants (6–11 m): a cross-sectional study in two regions in Ethiopia. *BMC Public Health*. 2022;22(1):1–12.

36. Varghese SM, Parisi S, Singla RK, Begum A. *Trends in Food Chemistry, Nutrition and Technology in Indian Sub-Continent*. Springer Nature; 2022:45–53.
37. Prado J, Rostagno M. *Natural Product Extraction: Principles and Applications*. Royal Society of Chemistry; 2022.
38. Yancló LA, Sigge G, Belay ZA, October F, Caleb OJ. Microstructural, biochemical and drying characteristics of dehydrated ‘Sunectwentyone’ nectarines as affected by sodium metabisulphite. *Food Sci Biotechnol*. 2022;31(3):311–322.
39. Dar AH, Kumar N, Shah S, Shams R, Aga MB. Processing of fruits and vegetables. In: *Agro-Processing and Food Engineering*. Springer; 2022:535–579.
40. Korus A. Effect of pretreatment and drying methods on the content of minerals, B-group vitamins and tocopherols in kale (*Brassica oleracea* L. var. *acephala*) leaves. *J Food Sci Technol*. 2022;59(1):279–287.
41. Grujović MŽ, Mladenović KG, Semedo-Lemsaddek T, Laranjo M, Stefanović OD, Kocić-Tanackov SD. Advantages and disadvantages of non-starter lactic acid bacteria from traditional fermented foods: potential use as starters or probiotics. *Compr Rev Food Sci Food Saf*. 2022;21(2):1537–1567.
42. Rai R, Nalini P, Singh YP. Nanotechnology for sustainable horticulture development: opportunities and challenges. innovative approaches for sustainable development. *Theor Pract Agri*. 2022;2022:191–210.
43. El-Sayed EM, Ibrahim KS. Ameliorating effects of probiotics on alterations in iron homeostasis and inflammation in COVID-19. *Mol Biol Rep*. 2022;2022:1–11.
44. Toydemir G, Subasi BG, Hall RD, Beekwilder J, Boyacioglu D, Capanoglu E. Effect of food processing on antioxidants, their bioavailability and potential relevance to human health. *Food Chem*. 2022;2022:100334.
45. Berjan S, Vaško Ž, Ben Hassen T, et al. Assessment of household food waste management during the COVID-19 pandemic in Serbia: a cross-sectional online survey. *Environ Sci Pollut Res*. 2022;29(8):11130–11141.
46. Shehu I, Malsiu A, Bajraktari N. Assessment of potentially toxic element concentrations in soil and vegetables and impact on human health through TF, EDI, and HRI indicators: case study Anadrinia Region (Kosovo). *Biol Trace Elem Res*. 2022;201:1–14.
47. Nakamura T. The birth of nutrition and the systematization of learning. In: *Japan Nutrition*. Springer; 2022:13–27.
48. Huang H-W, Hsu C-P, Wang C-Y. Healthy expectations of high hydrostatic pressure treatment in food processing industry. *J Food Drug Anal*. 2020;28(1):1–13.
49. Gizachew HL Effects of nutrition sensitive agriculture on welfare outcomes of rural women: the case of Basona Worena and Angolela Tera Woredas of North Shoa Zone. Amhara Region, Ethiopia; 2019.
50. Chopera P, Zimunya PR, Mugariri FM, Matsungu TM. Facilitators and barriers to the consumption of traditional foods among adults in Zimbabwe. *J Ethnic Foods*. 2022;9(1):1–13.
51. Manwani S, Bhoot N, Pandey H, Awasthi G. Mitigation of lead and Cadmium from vegetable crops through different biochemical adsorbent treatments at Sanganer industrial area, Jaipur. *Mater Today*. 2022;69:1556–1564.
52. Behl T, Kaur I, Sehgal A, et al. The dichotomy of nanotechnology as the cutting edge of agriculture: nanofarming as an asset versus nanotoxicity. *Chemosphere*. 2022;288:132533.
53. Benucci I, Lombardelli C, Mazzocchi C, Esti M. Natural colorants from vegetable food waste: recovery, regulatory aspects, and stability—A review. *Compr Rev Food Sci Food Saf*. 2022;21(3):2715–2737.
54. Guthrie BL, Tsegaye AT, Rankin KC, Watson JL, Alemie GA. Partnering faith leaders with community health workers increases utilization of antenatal care and facility delivery services in Ethiopia: a cluster randomized trial. *J Glob Health*. 2021;11:1.
55. Baez Schon M, Woods CL, Cardelús CL. Sacred church forests in northern Ethiopia: biodiversity and Cultural Islands. In: *Biodiversity Islands: Strategies for Conservation in Human-Dominated Environments*. Springer; 2022:531–549.
56. Mortas M, Awad N, Ayyav H. Adulteration detection technologies used for halal/kosher food products: an overview. *Discover Food*. 2022;2(1):1–23.
57. Naveed A, Shabbir G. Effect of formal and informal institutional indicators on innovation activities: an empirical analysis for a global sample. *Soc Indic Res*. 2022;2022:1–27.
58. Pellerin CL, Ashenafi D. *Unpacking the Addis Ababa Exceptionalism—Living and Making Sense of Violent Protests in Ethiopia’s Capital*. Urban Forum, Springer; 2022:1–26.
59. Eyasu K, Gebremariam LW, Gebrearegay F, Hadush Z, Mulugeta A. Community food beliefs during pregnancy in rural kebeles of Ofra Woreda, Northern Ethiopia: an explorative qualitative study. *BMC Pregnancy Childbirth*. 2022;22(1):1–8.
60. Pflipsen M, Zenchenko Y. Nutrition for oral health and oral manifestations of poor nutrition and unhealthy habits. *Gen Dent*. 2017;65(6):36–43.
61. Boneyk M, Shemdoe A, Ambikapathi R, et al. Exploring drivers of food choice among PLHIV and their families in a peri-urban Dar es Salaam, Tanzania. *BMC Public Health*. 2022;22(1):1–12.
62. Adeosun KP, Greene M, Oosterveer P. Informal ready-to-eat food vending: a social practice perspective on urban food provisioning in Nigeria. *Food Security*. 2022;2022:1–18.
63. Batchelor S, Brown E, Scott N, Leary J. Experiences of electric pressure cookers in East Africa? In: *Energy Efficiency in Domestic Appliances and Lighting*. Springer; 2022:385–418.
64. Debie A, Khatri RB, Assefa Y. Contributions and challenges of healthcare financing toward universal health coverage in Ethiopia: a narrative evidence synthesis. *BMC Health Serv Res*. 2022;22(1):1–16.
65. Selçuk IŞ, Köktaş AM, Toygar ŞA. Socioeconomic factors affecting the probability of obesity: evidence from a nationwide survey in Turkey. *Qual Quant*. 2022;57:1–17.
66. Barrett CB, Benton T, Fanzo J, et al. *Sociotechnical Innovation Bundles for Agri-Food Systems Transformation*. Springer Nature; 2022.
67. Hojjat TA, Hojjat R. *Economics of Obesity*. Springer; 2021.
68. Bakhtsiyarava M, Grace K. Agricultural production diversity and child nutrition in Ethiopia. *Food Security*. 2021;13(6):1407–1422.
69. Din MSU, Mubeen M, Hussain S, et al. World nations priorities on climate change and food security. In: *Building Climate Resilience in Agriculture*. Springer; 2022:365–384.
70. Belay DG, Taddese AA, Gelaye KA. Does socioeconomic inequality exist in minimum acceptable diet intake among children aged 6–23 months in sub-Saharan Africa? Evidence from 33 sub-Saharan African countries’ demographic and health surveys from 2010 to 2020. *BMC Nutri*. 2022;8(1):1–13.
71. Vanhouche A-S. Prison food: philosophy and practice. In: *Prison Food*. Springer; 2022:137–202.

72. Tran T, Yang L, Zhou H, et al. Evaluating quality indexes of frozen vegetables prepared with different cooking oils during 12 months of frozen storage. *J Food Meas Charact.* 2022;16(2):1404–1415.
73. Yaman M, Çatak J, Uğur H, et al. The bioaccessibility of water-soluble vitamins: a review. *Trends Food Sci Technol.* 2021;109:552–563.
74. Mohammad Azmin SNH, Sulaiman NS, Mat Nor MS, Abdullah PS, Abdul Kari Z, Pati S. A review on recent advances on natural plant pigments in foods: functions, extraction, importance and challenges. *Appl Biochem Biotechnol.* 2022;194:1–18.
75. Lall SP, Dumas A. Nutritional requirements of cultured fish: formulating nutritionally adequate feeds. In: *Feed and Feeding Practices in Aquaculture.* Elsevier; 2022:65–132.
76. Lal N, Seifan M, Berenjian A. Optimization of the fermentation media to enhance the production of the bioactive isomer of vitamin menaquinone-7. *Bioprocess Biosyst Eng.* 2022;45:1–20.
77. Malatskey L, Essa-Hadad J, Eldar R, Filipov I, Eilat-Tsanani S, Rudolf MC. Medical student lifestyle counseling for noncommunicable disease: impact on students' competence and patients' health behaviors. *Isr J Health Policy Res.* 2022;11(1):1–9.
78. Udayan A, Pandey AK, Sirohi R, et al. Production of microalgae with high lipid content and their potential as sources of nutraceuticals. *Phytochemis Rev.* 2022;2022:1–28.
79. Milsom P, Smith R, Modisenyane SM, Walls H. Does international trade and investment liberalization facilitate corporate power in nutrition and alcohol policymaking? Applying an integrated political economy and power analysis approach to a case study of South Africa. *Global Health.* 2022;18(1):1–14.
80. Santini F, Tauro G, Mazzali M, et al. A serious game for nutritional education of children and adolescents with neurodevelopmental disorders. International Conference on Pervasive Computing Technologies for Healthcare. Springer; 2022:240–250.
81. Piriyaikul I, Piriyaikul R. The moderating effect of influencer on the causal map of mutual information, coproducer and customer value: a thematic analysis of messages posted by brand communities. *J Mark Anal.* 2022;10(2):131–144.
82. Van Royen K, Pabian S, Poels K, De Backer C. Around the same table: uniting stakeholders of food-related communication. *Appetite.* 2022;2022:105998.
83. Kiflu GK, Ali AC, Nigussie H. Media and public sphere in Ethiopia: mediated deliberations in public and commercial television programs. *Journalism.* 2022;2022:14648849211048288.
84. Shaabani Z, Esmaili-Sari A, Moradi AM, Taghavi L, Farsad F. Possible health risk assessment for heavy metal concentrations in water, sediment, and fish species and Turkmen pregnant women's biomonitoring in Miankaleh Peninsula, Iran. *Environ Sci Pollut Res.* 2022;29(25):37187–37203.
85. Staupé-Delgado R, Rubin O. Challenges associated with creeping disasters in disaster risk science and practice: considering disaster onset dynamics. *Int J Disaster Risk Sci.* 2022;13(1):1–11.
86. Headey DD, Ruel MT. Economic shocks predict increases in child wasting prevalence. *Nat Commun.* 2022;13(1):1–9.
87. Osendarp S, Akuoku JK, Black RE, et al. The COVID-19 crisis will exacerbate maternal and child undernutrition and child mortality in low-and middle-income countries. *Nat Food.* 2021;2(7):476–484.
88. Woodhill J, Kishore A, Njuki J, Jones K, Hasnain S. Food systems and rural wellbeing: challenges and opportunities. *Food Security.* 2022;14:1–23.
89. Nakamura T. Safe and appetizing patient meals. In: *Japan Nutrition.* Springer; 2022:99–115.
90. Zyoud S, Al-Jabi SW, Koni A, Shakhshir M, Shahwan M, Jairoun AA. Mapping the landscape and structure of global research on nutrition and COVID-19: visualization analysis. *J Health Popul Nutr.* 2022;41(1):1–10.
91. Fan Y, Yao Q, Liu Y, Jia T, Zhang J, Jiang E. Underlying causes and coexistence of malnutrition and infections: an exceedingly common death risk in cancer. *Front Nutri.* 2022;9:1.
92. Nassikas NJ, Chan EA, Nolte CG, et al. Modeling future asthma attributable to fine particulate matter (PM_{2.5}) in a changing climate: a health impact assessment. *Air Qual Atmos Health.* 2022;15(2):311–319.
93. Das P, Das T, Roy TB. Stunting, a linear growth anomaly in under-five year (U5) children: a risk factors' analysis from maternal, household and individual background in Indian context. *Child Indic Res.* 2022;15(3):1025–1042.
94. Campisi SC, Khan A, Zasowski C, Bhutta ZA. Malnutrition. In: *Textbook of Pediatric Gastroenterology, Hepatology and Nutrition.* Springer; 2022:609–623.
95. Burch E. The effects of early childhood malnutrition on neurodevelopment. In: *Nutrigenomics and the Brain.* Springer; 2022:145–154.
96. Aryeetey R, Atuobi-Yeboah A, Billings L, Nisbett N, van den Bold M, Toure M. Stories of change in nutrition in Ghana: a focus on stunting and anemia among children under-five years (2009–2018). *Food Security.* 2022;14(2):355–379.
97. Chapman J, Power A, Netzel ME, et al. Challenges and opportunities of the fourth revolution: a brief insight into the future of food. *Crit Rev Food Sci Nutr.* 2022;62(10):2845–2853.
98. Khan SAR, Razzaq A, Yu Z, Shah A, Sharif A, Janjua L. Disruption in food supply chain and undernourishment challenges: an empirical study in the context of Asian countries. *Socioecon Plann Sci.* 2022;82:101033.
99. Kumar M, Mohanty P. Does maternal overnutrition carry child undernutrition in India? *PLoS One.* 2022;17(6):e0265788.
100. Gavaravarapu SM, Seal A. Nutrition communication—experiments, experiences and exasperation. In: *Narratives and New Voices from India.* Springer; 2022:217–229.
101. Stahel AW. Polanyi's view: the different forms of oikonomy. In: *Regenerative Oikonomics.* Springer; 2022:71–103.
102. Bukari C, Aning-Agyei MA, Kyeremeh C, et al. Effect of COVID-19 on household food insecurity and poverty: evidence from Ghana. *Soc Indic Res.* 2022;159(3):991–1015.
103. Watanabe J, Watanabe M, Yamaoka K, Adachi M, Suzuki A, Tango T. Effects of 'SPRAT' programme for dietary and lifestyle education to improve psychosomatic symptoms and dietary habits among adolescents: a cluster randomized controlled trial. *BMC Public Health.* 2022;22(1):1–13.
104. Demirkesen I, Ozkaya B. Recent strategies for tackling the problems in gluten-free diet and products. *Crit Rev Food Sci Nutr.* 2022;62(3):571–597.
105. Strecker K, Bitzer V, Kruijssen F. Critical stages for postharvest losses and nutrition outcomes in the value chains of bush beans and nightshade in Uganda. *Food Security.* 2022;14(2):411–426.
106. Shree B, Kumar S, Sharma S, Katoch V. Functional significance of underutilized high value cruciferous vegetables—an exotic gleam in the gloomy guise of their functional importance. *South Afr J Bot.* 2022;2022:1.

107. Beck ME, Hill ME, Khandelwal MR. How to keep the home fires burning: a comparative study of cooking hearths for ceramic vessels. *Ethnoarchaeology*. 2022;14(1):1–29.
108. Baiano A. 3D printed foods: a comprehensive review on technologies, nutritional value, safety, consumer attitude, regulatory framework, and economic and sustainability issues. *Food Rev Int*. 2022;38(5):986–1016.
109. Melamed OC, Selby P, Taylor VH. Mental health and obesity during the COVID-19 pandemic. *Curr Obes Rep*. 2022;11:1–9.
110. Pacifico I, De Gara L, Stellari A, Marinoni L, Cattaneo TM. The application of solar drying process for the valorization of papaya fruit. *Eur Food Res Technol*. 2022;248(3):857–867.
111. Rakha A, Fatima M, Bano Y, Khan MA, Chaudhary N, Aadil RM. Safety and quality perspective of street vended foods in developing countries. *Food Control*. 2022;11:109001.
112. Allai FM, Gul K, Zahoor I, Ganaie TA, Nasir G, Azad Z. Malnutrition: impact of zinc on child development. In: *Microbial Biofertilizers and Micronutrient Availability*. Springer; 2022:83–100.
113. Swinburn B, Hovmand P, Waterlander W, Allender S. The global syndemic of obesity, undernutrition, and climate change. *Clin Obes Adults Children*. 2022;393:409–427.
114. Blake MR, Sacks G, Marshall J, Brown AK, Cameron AJ. A successful intervention research collaboration between a supermarket chain, the local government, a nongovernmental organization and academic researchers: the healthy supermarket partnership. In: *Global Handbook of Health Promotion Research*. Vol. 1. Springer; 2022:343–364.
115. Tareke SA, Lelisho ME, Hassen SS, et al. The prevalence and predictors of depressive, anxiety, and stress symptoms among Tepi town residents during the COVID-19 pandemic lockdown in Ethiopia. *J Racial Ethn Health Disparities*. 2022;2022:1–13.
116. Song X, Capanoglu E, Simal-Gandara J, Chen F, Xiao J. Different food processing technologies: a general background. In: *Retention of Bioactives in Food Processing*. Springer; 2022:37–89.
117. Waszkiewicz A. *Delicious Pixels: Food in Video Games*. Walter de Gruyter GmbH & Co KG; 2022.
118. Lafeuille B, Francezon N, Goulet C, Perreault V, Turgeon SL, Beaulieu L. Impact of temperature and cooking time on the physicochemical properties and sensory potential of seaweed water extracts of *Palmaria palmata* and *Saccharina longicuris*. *J Appl Phycol*. 2022;2022:1–17.
119. Alemu TG, Techane MA, Wubneh CA, et al. Spatial variation and determinates of dietary diversity among children aged 6–23 months in Ethiopia: spatial and multilevel analysis using Ethiopian Demography Health Survey (EDHS) 2019. *Archiv Public Health*. 2022;80(1):1–13.
120. Armghan Khalid M, Niaz B, Saeed F, et al. Edible coatings for enhancing safety and quality attributes of fresh produce: a comprehensive review. *Int J Food Prop*. 2022;25(1):1817–1847.
121. Muhiaddin BJ, Filimonau V, Qasem JM, Ibrahim SA, Algoobry HL. Traditional fermented foods and beverages in Iraq and their potential for large-scale commercialization. *J Ethnic Foods*. 2022;9(1):1–17.
122. Gotow N, Nagai Y, Taguchi T, Kino Y, Ogino H, Kobayakawa T. Identification of perceptual attributes affecting preference for vegetables using item-focused and consumer-focused approaches. *Food Qual Prefer*. 2022;95:104357.
123. Tang H, Rising HH, Majji M, Brown RD. Long-term space nutrition: a scoping review. *Nutrients*. 2022;14(1):194.
124. Hassan MN, Mekkawy SA, Mahdy M, Salem KF, Tawfik E. Recent molecular and breeding strategies in lettuce (*Lactuca* spp.). *Genet Resour Crop Evol*. 2021;68(8):3055–3079.
125. Farmery AK, Alexander K, Anderson K, et al. Food for all: designing sustainable and secure future seafood systems. *Rev Fish Biol Fish*. 2022;32(1):101–121.
126. Medendorp J, DeYoung D, Thiagarajan DG, Duckworth R, Pittendrigh B. A systems perspective of the role of dry beans and pulses in the future of global food security: opportunities and challenges. In: *Dry Beans and Pulses: Production, Processing, and Nutrition*. Wiley; 2022:531–550.
127. Lee H-J, Murimi MW, Dawson JA. Factors associated with child malnutrition in the Somali Region of Ethiopia: a cross-sectional survey. *Global Social Welfare*. 2022;9(2):69–77.
128. Rodríguez-Ayala M, Banegas JR, Ortolá R, et al. Cooking methods are associated with inflammatory factors, renal function, and other hormones and nutritional biomarkers in older adults. *Sci Rep*. 2022;12(1):16483.
129. Viacava GE, Cenci MP, Ansorena MR. Effect of chitosan edible coatings incorporated with free or microencapsulated thyme essential oil on quality characteristics of fresh-cut carrot slices. *Food Bioproc Tech*. 2022;15(4):768–784.
130. Lee S, Choi Y, Jeong HS, Lee J, Sung J. Effect of different cooking methods on the content of vitamins and true retention in selected vegetables. *Food Sci Biotechnol*. 2018;27:333–342.

Nutrition and Dietary Supplements

Dovepress

Publish your work in this journal

Nutrition and Dietary Supplements is an international, peer-reviewed, open access journal focusing on research into nutritional requirements in health and disease, impact on metabolism and the identification and optimal use of dietary strategies and supplements necessary for normal growth and development. The journal welcomes submitted papers covering original research, basic science, clinical & epidemiological studies, reviews and evaluations, guidelines, expert opinion and commentary, case reports and extended reports. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/nutrition-and-dietary-supplements-journal>