

Ocular pharmacokinetics and tolerability of bimatoprost ophthalmic solutions administered once or twice daily in rabbits, and clinical dosing implications [Corrigendum]

Shen J, Goodkin ML, Tong W, Attar M. *Clin Ophthalmol*. 2017;11:1761–1767.

On page 1765, Clinical correlation with evidence for use of bimatoprost twice daily in humans section, second column, last line, “–5.4 to –5.6 mm Hg” should have read “–5.4 to –6.0 mm Hg”.

Clinical Ophthalmology downloaded from <https://www.dovepress.com/>
For personal use only.

Clinical Ophthalmology

Dovepress

Publish your work in this journal

Clinical Ophthalmology is an international, peer-reviewed journal covering all subspecialties within ophthalmology. Key topics include: Optometry; Visual science; Pharmacology and drug therapy in eye diseases; Basic Sciences; Primary and Secondary eye care; Patient Safety and Quality of Care Improvements. This journal is indexed on

Submit your manuscript here: <http://www.dovepress.com/clinical-ophthalmology-journal>

PubMed Central and CAS, and is the official journal of The Society of Clinical Ophthalmology (SCO). The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.