Dovepress

LETTER An easily ignored factor for CAN-fine particulate exposure [Letter]

This article was published in the following Dove Press journal: Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy

Hua Sun^{1,*} Man Liang^{2,*} Na Zheng³

¹Department of Endocrinology, The Affiliated Hospital of Beihua University, Jilin City, Jilin 132011, People's Republic of China; ²Department of Forensic Science, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, Hubei, People's Republic of China; ³Department of Pathology, Health Science Center, Shen Zhen University, Shenzhen, Guangdong 518066, People's Republic of China

*These authors contributed equally to this work

Dear editor

We read with great interest the recently published article by Vasheghani et al.¹ In the article, the authors showed that the prevalence of CAN was increased with prolonged duration of DM, but not the glycemic control level. In the study, the CAN was assessed based on heart rate variation during physical examination (at rest tachycardia and orthostatic hypotension) and standard Ewing's tests (deep-breathing and laying-to-standing tests) with bedside continuous ECG recording.

Without doubt, HRV is the popular indicator for CAN, however, there are still some influence factors, and the most easily unnoticeably one may be the air pollution or fine particles exposure. Consistent links between fine particles exposure and decreased HRV in healthy volunteers have been documented in studies.^{2,3} In their study, an increase in 30 mg/m³ of the average $PM_{2.5}$ personal exposure in the previous 2 h decreased the pNN50 in 0.08%, which suggest short term exposure to high level of fine particles could effect the HRV or CAN.

Moreover, in the susceptible population, the individual coronary risk profiles and underlying diabetes or impaired glucose tolerance might confer reduced autonomic function of heart due to particulate air pollution exposure.⁴⁻⁶ In Vasheghani et al's study, the HRV and other tests were set standardly, however, the PM exposure of the subjects shortly before the HRV test was ignored, which might affect the conclusion if setting the level of PM as the correction factor.

Disclosure

The authors report no conflicts of interest in this communication.

References

- 1. Vasheghni M, Sarvghadi F, Beyranvand MR. The association between cardiac autonomic neuropathy and diabetes control. Diabetes Metab Syndr Obes. 2019;12:581-587. doi:10.2147/DMSO. S196729
- 2. Fan ZT, Meng Q, Weisel C, et al. Acute exposure to elevated PM2.5 generated by traffic and cardiopulmonary health effects in healthy older adults. J Expo Sci Environ Epidemiol. 2009;19 (5):525. doi:10.1038/jes.2008.46
- 3. Vallejo M, Ruiz S, Hermosillo AG, Borja-Aburto VH, Cárdenas M. Ambient fine particles modify heart rate variability in young healthy adults. J Expo Sci Environ Epidemiol. 2006;16(2):125-130. doi:10.1038/sj.jea.7500447

Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy 2019:12 1275-1276 1275 © 019 Sun et al. This work is published and licensed by Dove Medical Press Limited. The full terms of this license are available at https://www.dovepress.com/terms.php and incorporate the Creative Commons Attribution – Non Commercial (unported, v3.0) License (http://creative.commons.org/licenses/by-nc/3.0/). By accessing the work you hereby accept the Terms. Non-commercial uses of the work are permitted without any further permission from Dove Medical Press Limited, provided the work is properly attributed. For permission for commercial use of this work, please see paragraphs 4.2 and 5 of our Terms (https://www.dovepress.com/terms.php).

Correspondence: Na Zheng Department of Pathology, Health Science Center, Shen Zhen University, Shenzhen 518055, Shenzhen, People's Republic of China Tel +86 | 83| 644 80|5 Email nana96069@163.com



- 4. Sun Y, Song X, Han Y, et al. Size-fractioned ultrafine particles and black carbon associated with autonomic dysfunction in subjects with diabetes or impaired glucose tolerance in Shanghai, China. *Part Fibre Toxicol.* 2015;12:8. doi:10.1186/s12989-015-0084-6
- Feng Y, Huang X, Sun H, et al. Framingham risk score modifies the effect of PM10 on heart rate variability. *Sci Total Environ*. 2015;523:146–151. doi:10.1016/j.scitotenv.2015.04.009
- Zheng N. Chapter 11, Sudden death and the effects on particulate matter air pollution. In: *Sudden Death, Causes, Risk Factors and Prevention*. 1st. USA: Nova Science Publishers, Inc; 2013: 195–210. Available from: http://www.novapublishers.org/catalog/product_info. php?products_id=41834. Accessed July 16, 2019.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy

Dovepress

Publish your work in this journal

Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy is an international, peer-reviewed open-access journal committed to the rapid publication of the latest laboratory and clinical findings in the fields of diabetes, metabolic syndrome and obesity research. Original research, review, case reports, hypothesis formation, expert opinion and commentaries are all considered for publication. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/diabetes-metabolic-syndrome-and-obesity-targets-and-therapy-journal