

Relationship Between Metacognitive Awareness of Undergraduate Students and Students' Academic Performance at Vietnam Military Medical University

Kien Xuan Nguyen^{1,*}, Tien Viet Tran², Thuan Duc Nghiem³, Tuan Ngoc Tran¹, Thang Ba Ta⁴, Ba Van Nguyen⁵, Tuan Dinh Le^{6,*}, Son Tien Nguyen⁶, Kien Trung Nguyen⁷, Hoa Trung Dinh⁸, Dinh Cong Pho⁹, Toan Nguyen Duy^{10,*}, Pham Quoc Toan¹¹

¹Department of Military Medical Command and Organization, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ²Department of Infectious Diseases, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ³Department of Otolaryngology, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ⁴Respiratory Center, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ⁵Department of Oncology, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ⁶Department of Rheumatology and Endocrinology, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ⁷Center of Hematology and Blood Transfusion, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ⁸Department of Requested Treatment, National Hospital of Endocrinology, Hanoi, Vietnam; ⁹Department of Military Science, Vietnam Military Medical University, Hanoi, 10000, Vietnam; ¹⁰Cardiovascular Center, Military Hospital 103, Vietnam Medical Military University, Hanoi, 10000, Vietnam; ¹¹Department of Nephrology, Military Hospital 103, Vietnam Military Medical University, Hanoi, 10000, Vietnam

*These authors contributed equally to this work

Correspondence: Pham Quoc Toan, Department of Nephrology, Military Hospital 103, Vietnam Military Medical University, 160 Phung Hung Street, Phuc La Ward, Ha Dong District, Hanoi, Vietnam, Email toannephro@gmail.com

Introduction: Metacognition plays an essential role in competency-based medical education. Metacognitive skills consist of knowledge and regulation metacognition. This study was conducted to investigate the metacognition of undergraduate students and its correlation with students' academic performance.

Methods: The metacognitive skills inventory comprised 52 binary-scale items administered to 202 Vietnam Military Medical University medical students. The entire semester and clinical results were used to measure their academic performance.

Results: Medical students' total metacognitive awareness score was high (median 0.8). The median metacognitive knowledge score was significantly lower than the metacognitive regulation score (0.7 vs 0.8, respectively). The participants with a total metacognition score ≥ 0.8 had significantly higher academic results (full semester exam results of 7.4 and clinical exam of 7.5). The group of participants in the military, having sports habits and usually searching academic documents in English, had a higher proportion of total metacognitive awareness score ≥ 0.8 than the group without these above characteristics (with the percentages of 53.3%, 59%, and 64.3%, respectively; $p < 0.05$). The number of books read by participants with a total metacognitive awareness score ≥ 0.8 was significantly higher than those with a total metacognitive awareness score < 0.8 (3.5 compared to 2.4 books).

Conclusion: Metacognitive awareness of Vietnam Military Medical University medical students was likely to be high. A high score of metacognitive awareness could predict high academic performance. Being a military student, playing sports, reading books, and searching English documents were predictors of better metacognitive awareness.

Keywords: metacognition, medical student, metacognitive awareness, academic performance

Introduction

Competency-based medical education (CBME) is a common trend in the world and Vietnam in the early twenty-first century.^{1,2} Competency-based medical education approaches to teaching and learning methods emphasize that learners achieve the capacity to do medical jobs successfully and efficiently after medical education programs.³ The learners are

centralized in medical education progression. They choose motivational learning methods and facilities to get outcomes related to patients, populations, and health professions education programs.³ The learners must get their knowledge and regulate the learning process called metacognition.^{4–6} Learners with metacognitive strategies can plan, control and regulate their cognition process.^{7,8}

Brown was the first to call the term “metacognition”, which includes knowledge and the regulation of cognition.^{5,9} Knowledge about cognition has three components: declarative, procedural, and conditional knowledge.^{1,10,11} Regulation of cognition had five components: planning, information management strategies, comprehension monitoring, debugging strategies, and evaluation.^{1,4,11} There are many inventories have been created to assess metacognition.^{12–14} Some of them are more popular such as Metacognition awareness guidance (MCAG), metacognition awareness of reading strategy inventory (MARS), Meta-cognition skills inventory (MSI), and MAI.^{14–17} The MAI was created by Schraw and Dennison (1994) that provided a more useful tool to assess baseline and follow-up levels of specific criteria of metacognition.^{1,18} These criteria include the development of metacognitive knowledge; planning and organizing; and selecting, implementing, monitoring, and evaluating learning strategies.^{1,5} Metacognition has been studied and published around the globe, showing the components of metacognition, including metacognitive knowledge and regulation, and showing more detailed compartments.^{7,19–21} Almost nations are affected by the Covid-19 pandemic. There are some papers researched on metacognition that have been published in the covid 19 pandemic era (2020–2022). The research on metacognition in Covid-19 pandemic era showed that MOOC was more effective in fostering the deep learning aspects of high metacognition skills and deep learning as a whole.²² Other study found that online flipped classrooms could improve self-directed learning and metacognitive awareness in nursing education.²³ Iin Hindun observed work cognition and metacognitive awareness at different levels of local teachers in Indonesia.²⁴ At Vietnam Military Medical University, medical assessments focus almost on clinical skills. We performed this study to investigate undergraduate students’ metacognitive awareness using the MAI questionnaire and the relation between MAI scores and students’ academic performance at Vietnam Military Medical University.

Methods

We performed a prospective, descriptive, cross-sectional study on 202 participants who were students in undergraduate general medical courses from the first year to the sixth year, including military and non-military students at the Vietnam Military Medical University from 2020 to 2021.

Data Collection: The questionnaire consisted of two main parts: background information and MAI score. The background information includes age, gender, year of academic education, military or non-military, place of living before, regional living before being a student, habit in sports, habit in reading, type of reading book, habit in learning, searching English documents, and academic results. The MAI score was assessed with MAI 52 binary-scale items that Schraw and Dennison created in 1994,¹ the result of each question got 2 points on the binary scale, including a value of 1 if the participant answered “true” and a value of 0 if the participant answered “false”. Which includes knowledge and regulation of MAI with eight compartments: procedural knowledge, declarative knowledge, conditional knowledge, information management strategies, planning, comprehension monitoring, debugging strategies and evaluation^{12,18} (Table S1). MAI questionnaires were translated into Vietnamese by one expert in the English language who blinded to our research. Before starting the study, a trial survey was conducted on 32 Vietnamese students to ensure the feasibility and appropriateness of the MAI score for this population. The Vietnamese questionnaire version of MAI was administered online using a licensed Surveynuts tool. The link was sent to participants by Zalo, Messenger, and Email. The participants answered all of the questions through their online facilities during the Covid 19 pandemic (April 2021). All data was sent automatically to the account of the researchers. Data from participants who had the same answers for all questions or did not complete all questions of the MAI score were excluded.

Ethical Statements

The participants were voluntary, and the research data was confidential and anonymized. The data sheets of respondents were kept locked up in a password-protected computer and were only used by the researchers. The study was approved

by the Ethics Committee of the Vietnam Military Medical University (No 299/2014/VMMU-IRB). The study was also conducted using good clinical practice following the Declaration of Helsinki.

Statistical Analyzed

Data were analyzed using the licensed Stata 17. For each variable in varlist, sktest presents a test for normality based on skewness. The MAI score and base characteristics of participants were described as descriptive statistics. Chi-square and ANOVA tests were used to compare the participants with metacognitive awareness inventory scores ≥ 0.8 different from base characteristics, including average academic and clinical results of last semester. Multivariable logistic analysis was used to determine the variables that could significantly affect the metacognitive awareness total score ≥ 0.8 .

Results

Table 1 shows the characteristics of 202 participants, in which males and females accounted for 72.8% and 27.2%, respectively. The proportion of military students was 75.2%, while 24.8% were non-military students. 76.2% came from suburban, while 23.8% were from urban (75.7% from the North and 24.3% from the South of Viet Nam) (Table 1).

Table 1 Characteristics of the Participants

Variables (n = 202)	Values [n (%)]
Age of students (years)	
19	31 (15.3%)
20	29 (14.4%)
21	59 (29.2%)
22	31 (15.3%)
23	28 (13.9%)
24	22 (10.9%)
25	2 (1.0%)
Gender	
Female	55 (27.2%)
Male	147 (72.8%)
Type of students	
Non-military	50 (24.8%)
Military	152 (75.2%)
Academic year	
The first	39 (19.3%)
The second	30 (14.9%)
Third	60 (29.7%)
Forth	28 (13.9%)
Fifth	24 (11.9%)

(Continued)

Table 1 (Continued).

Variables (n = 202)	Values [n (%)]
Sixth	21 (10.4%)
Area	
Suburban	154 (76.2%)
Urban	48 (23.8%)
Region of Viet Nam	
North	153 (75.7%)
South	49 (24.3%)

The results in [Table 2](#) showed the ratio of participants separated by favorites, habits in sports, studying, and academic performance in the last semester ([Table 2](#)).

The metacognitive knowledge score was significantly lower than the metacognitive regulation score (Wilcoxon signed-rank test; $p = 0.001$). The declarative knowledge score was the lowest at 0.6 (0.5–0.9) within the eight compartments of the MAI score ([Table 3](#)).

Table 2 Characteristics of Favorite, Habits, and Academic Performance

Variables (n = 202)	Values [n (%)]
Habit in sports	
Non	102 (50.5%)
Yes	100 (49.5%)
Number of books read in last three months (excluding medical books), mean (SD)	2.9 (3.6)
Habit in the reading book in the last three months (excluding medical books)	
Yes	51 (25.2%)
Non	148 (73.3%)
Unanswered	3 (1.5%)
Type of interested books	
Science books	96 (47.8%)
Literature books	105 (52.2%)
The searching habit of academic documents on the internet	
Non	1 (0.5%)
Sometimes	84 (41.6%)
Usually	117 (57.9%)
The searching habit of academic documents in English	
Non	33 (16.3%)

(Continued)

Table 2 (Continued).

Variables (n = 202)	Values [n (%)]
Sometimes	141 (69.8%)
Usually	28 (13.9%)
Studying at library	
Non	54 (26.7%)
Sometimes	126 (62.4%)
Usually	22 (10.9%)
Average academic results of last semester, mean (SD)	7.2 ± 0.8
Clinical results, mean (SD)	7.3 ± 0.8

Table 3 Metacognitive Awareness Score

Metacognitive Sub-Components (n = 202)	Number of Question	Score per Question
Total metacognitive awareness score, median (IQR)	52	0.8 (0.6–0.9)
Metacognitive knowledge score, median (IQR)	17	0.7 (0.5–0.9)
Metacognitive regulation score, median (IQR)	35	0.8 (0.7–0.9)
Procedural knowledge score, median (IQR)	4	0.8 (0.5–1.0)
Declarative knowledge score, median (IQR)	8	0.6 (0.5–0.9)
Conditional knowledge score, median (IQR)	5	0.8 (0.6–1.0)
Information management strategies score, median (IQR)	10	0.8 (0.7–0.9)
Planning score, median (IQR)	7	0.9 (0.7–1.0)
Comprehension monitoring score, median (IQR)	7	0.9 (0.7–1.0)
Debugging strategies score, median (IQR)	5	1.0 (0.8–1.0)
Evaluation score, median (IQR)	6	0.8 (0.7–1.0)

Table 4 shows that the proportion of total metacognitive awareness score ≥ 0.8 in military participants was significantly higher than in non-military participants. The fourth school year participants had a significantly lower proportion of metacognitive awareness total score ≥ 0.8 than in other years of academic study (Table 4).

As shown in Table 5, the rate of total metacognitive awareness score ≥ 0.8 in participants with sports habits and searching habits for academic documents in English was significantly higher than in other participants. The participants with a total metacognitive awareness score ≥ 0.8 read more books, particularly the number of books in the last three months (excluding medical books), than others. The participants getting total metacognitive awareness score ≥ 0.8 had significantly higher full exam results (7.4 ± 0.8) and clinical exam results (7.5 ± 0.8) for the last semester than the others (Table 5).

Table 6 showed that a total metacognitive awareness score ≥ 0.8 was relatively significant with military participants, sports, and English academic document searching habits (Table 6).

Discussion

Competency-based medical education is the transformation from teaching to self-study, from training to self-training.^{1,3} Medical students become the center of the educational process. They need to study by themselves to get knowledge and

Table 4 The Relationship Between Total Metacognitive Awareness Score and Age, Gender, Academic Year, and Geographic Characteristics

Factors	Total Metacognitive Awareness Score <0.8	Total Metacognitive Awareness Score ≥ 0.8	p
	(n = 106)	(n = 96)	
Gender			
Female	34 (61.8%)	21 (38.2%)	0.10
Male	72 (49.0%)	75 (51.0%)	
Type of student			
Non-military	35 (70.0%)	15 (30.0%)	0.004
Military	71 (46.7%)	81 (53.3%)	
Year of academic study			
First	15 (38.5%)	24 (61.5%)	0.006
Second	11 (36.7%)	19 (63.3%)	
Third	33 (55.0%)	27 (45.0%)	
Fourth	23 (82.1%)	5 (17.9%)	
Fifth	12 (50.0%)	12 (50.0%)	
Sixth	12 (57.1%)	9 (42.9%)	
Area of living			
Suburban	85 (55.2%)	69 (44.8%)	0.17
Urban	21 (43.7%)	27 (56.3%)	
Region			
North	80 (52.3%)	73 (47.7%)	0.92
South	26 (53.1%)	23 (46.9%)	

Table 5 The Relationship Between Metacognitive Awareness Total Score and Participants' Habits and Academic Results

Variables	Total Metacognitive Awareness Score <0.8	Total Metacognitive Awareness Score ≥ 0.8	p
	(n = 106)	(n = 96)	
Habit in sports			
Non	65 (63.7%)	37 (36.3%)	0.001
Yes	41 (41.0%)	59 (59.0%)	
Number of books reading in last three months (excluding medical books), mean (SD)	2.4 (3.1)	3.5 (4.0)	0.048
Type of interested books			
Science books	48 (50.0%)	48 (50.0%)	0.54
Literature books	57 (53.8%)	48 (46.2%)	

(Continued)

Table 5 (Continued).

Variables	Total Metacognitive Awareness Score <0.8	Total Metacognitive Awareness Score ≥ 0.8	p
	(n = 106)	(n = 96)	
The searching habit of academic documents on the internet			
Non	0 (0.0%)	1 (100%)	0.43
Sometimes	47 (55.9%)	37 (44.1%)	
Usually	59 (50.4%)	58 (49.6%)	
The searching habit of academic documents in English			
Non	25 (75.8%)	8 (24.2%)	0.005
Sometimes	71 (50.4%)	70 (49.6%)	
Usually	10 (35.7%)	18 (64.3%)	
Studying at library			
Non	32 (59.3%)	22 (40.7%)	0.33
Sometimes	65 (51.6%)	61 (48.4%)	
Usually	9 (40.9%)	13 (59.1%)	
Total exam results of last semester; mean (SD)	7.0 ± 0.8	7.4 ± 0.8	0.005
The clinical exam result of last semester; mean (SD)	7.1 ± 0.8	7.5 ± 0.8	0.016

Table 6 Multivariable Logistic of Total Metacognitive Awareness Score ≥ 0.8

Variables	OR	CI (95%)
Female	1.00	[1.00–1.00]
Male	0.90	[0.38–2.10]
Non-military students	1.00	[1.00–1.00]
Military Students	2.57*	[1.07–6.18]
Suburban	1.00	[1.00–1.00]
Urban	1.76	[0.84–3.68]
The North	1.00	[1.00–1.00]
The South	0.58	[0.28–1.24]
Non-habit in sports	1.00	[1.00–1.00]
Habit in sports	2.07*	[1.09–3.93]
Number of books read in last three months (excluding medical books)	1.05	[0.96–1.15]
Science books	1.00	[1.00–1.00]
Literature books	0.74	[0.39–1.39]

(Continued)

Table 6 (Continued).

Variables	OR	CI (95%)
The searching habit of academic documents on the internet		
Non	1.00	[1.00–1.00]
Sometimes	0.97	[0.49–1.92]
Usually	1.00	[1.00–1.00]
The searching habit of academic documents in English		
Non	1.00	[1.00–1.00]
Sometimes	2.86*	[1.13–7.26]
Usually	3.13	[0.89–11.03]
Studying at library		
Non	1.00	[1.00–1.00]
Sometimes	1.14	[0.56–2.30]
Usually	1.36	[0.45–4.16]

Notes: Exponentiated coefficients; 95% confidence intervals in brackets. * $p < 0.05$.

skills according to the competent targets of the curriculum.^{3,25,26} The ability of students in aware and assess themselves can call the concept of “metacognition”.^{14,19} Metacognition presents at an early age and increases in ability during the transition from childhood to adolescence.^{4,10} Metacognition plays an essential role in medical education. Metacognition guides students’ learning strategies during the learning process.^{20,27,28} The students can focus on acquiring the knowledge or skills they lack if they know what they know and do not know.^{18,28,29}

Our study showed that the median total metacognitive awareness score with 52 questions was 0.8. The median metacognitive knowledge score was 0.7 (17 questions), and the median metacognitive regulation was 0.8 (35 questions). It is exciting that the metacognitive regulation score was more significant than the metacognitive knowledge score. It could be explained that most students were not taught knowledge of metacognition as an independent subject in the curriculum, while metacognitive regulation can be created in learning from childhood in other subjects. Pallavi Panchu et al³⁰ assessed metacognition in 100 first-year medical students in India using by MAI tool and showed that the mean metacognitive knowledge score was 0.645 (10.98/17 questions), the mean metacognitive regulation score was 0.644 (22.55/35 questions). Similar observations are reported by Mishra et al.³¹ The author showed that the mean metacognitive awareness total score was 0.775 (40.31/52 questions), the mean metacognitive knowledge score was 0.759 (12.91/17 questions), and the mean metacognitive regulation score was 0.78 (27.41/35 questions). The value of the MAI score in our observation was equivalent to two previous Indian studies. The results of each component of metacognition in our participants showed that the median declarative knowledge score (0.6) was significantly less than the median procedural knowledge score (0.8). It means that the participants’ awareness of what they know is more complicated than what they can do.

Our results showed that the rate of participants with total metacognitive awareness score ≥ 0.8 was higher in the military than in non-military students (Table 4; $p = 0.004$). Analyzing another way of comparing the median of the MAI score, the result showed that the military student group had a significantly higher median of the total, knowledge, and regulation scores in metacognition (Table S2). It could be explained that military students study some subjects associated with metacognition in the military curriculum. The rate of participants with a total metacognitive awareness score ≥ 0.8 was the lowest in the fourth academic year. We may suggest that participants begin a clinical study in the fourth academic year, including new knowledge and skill of the clinic. So, they must change their learning methods to deal with

clinical objects. Our study did not find any statistical difference in the total metacognitive awareness score between females and males, the living area, and the living regions of participants.

Our results also showed that participants with sports habits and searching for academic documents in English had a higher proportion of total metacognitive awareness score ≥ 0.8 than other participants. The participants with a total metacognitive awareness score of ≥ 0.8 read more books in the last three months than others. Nevertheless, the type of interest books (excluding medical books), the habit of searching academic documents online, and studying at the library were insignificant among participants with a total metacognitive awareness score of ≥ 0.8 and < 0.8 . Multivariable logistic analysis results showed three variables, including military students, habits in sports, and searching of English academic documents that significantly affected the rate of participants with total metacognitive awareness score ≥ 0.8 . Metacognition is essential in health care, from being a better student to becoming a better doctor.¹⁰ So several ways can enhance students' metacognition in medical school, including lectures, active learning exercises, or pre-planned activities outside of the classroom. Tomporowski reviewed metacognition from previous studies that acute and chronic quantitative exercise affected cognition and metacognition. The quantitative exercise included fitness, physical activity, and sports participation.³² According to this review, we could explain our result that physical activities in sports could encourage cognitive function, including metacognition. Searching for academic documents in English is active action in the learning progress of good students. These students not only study Vietnamese documents in the curriculum but also search for more updated knowledge in English. They had been using more integrated skills and knowledge, including English, computer, information technology, and clinical expertise, to do this job. They usually plan for their work with more detailed jobs to get more and more knowledge and competency in medicine. These students could get better total metacognitive awareness scores. There are detailed competencies of the medical curriculum that all students have to accumulate. Their competencies include science and social compartment. Besides learning from medical documents, they have to learn more soft skills and more knowledge of basic science and society from reading books. It could explain our result that reading more books related to higher total metacognitive awareness scores.

Finally, metacognition with two components (knowledge and regulation) could help students learn, especially in competency-based medical education. Our results showed that participants with a total metacognitive awareness score ≥ 0.8 had significantly higher results in the last semester, including the whole exam and clinical exam. The research of Wei Han Hong on first-year medical students in Malaysia showed that metacognition and its components significantly positively correlated with academic performance results.¹⁸ In another study, Chan researched 139 first-year nursing students at a university in Hong Kong. The results showed that total metacognition scores increased significantly after active learning than before.²⁵ Metacognition, including knowledge and regulation, guides the students on what they know and what they do not know but also shows them to get good learning outcomes without mistakes. So they could get better academic performance in the medical course. This previous research could show the relationship between metacognition and students' academic performance.

Limitation

This study has limitations. The metacognition was measured by MAI score with the native version in English. Therefore, bias could be met when translating into Vietnamese. However, before the study, MAI was translated into Vietnamese by one expert in the English language, and a trial survey was conducted on 32 Vietnamese students to ensure the feasibility and appropriateness of the MAI score for this population. We also strictly followed the instructions described in this test's manual to make results reliable.

Conclusion

The study showed that medical students at the Vietnamese Military Medical University were likely to have a high metacognitive awareness score. High metacognitive awareness scores might predict higher students' academic performance. Being military students, playing sports, reading more books, and searching English academic documents could associate better metacognitive awareness scores.

Acknowledgments

We thank the staff in Military Hospital 103, Vietnam Military Medical University for collecting the samples and supporting the study.

Author Contributions

All authors made a significant contribution to the work reported, whether that is in the conception, study design, execution, acquisition of data, analysis and interpretation, or in all these areas; took part in drafting, revising or critically reviewing the article; gave final approval of the version to be published; have agreed on the journal to which the article has been submitted; and agree to be accountable for all aspects of the work.

Funding

The author(s) received no financial support for this article's research, authorship, and/or publication.

Disclosure

The author(s) declared no potential conflicts of interest to this article's research, authorship, and/or publication.

References

- Harris P, Snell L, Talbot M, Harden RM; International CBME Collaborators. Competency-based medical education: implications for undergraduate programs. *Med Teach*. 2010;32:646–650. doi:10.3109/0142159X.2010.500703
- Iesa MAM. Medical students' perception of their education and training to cope with future market trends [retraction]. *Adv Med Educ Pract*. 2020;11:337–338. doi:10.2147/AMEPS261451
- Frank JR, Snell LS, Cate OT, et al. Competency-based medical education: theory to practice. *Med Teach*. 2010;32:638–645. doi:10.3109/0142159X.2010.501190
- Colbert CY, Graham L, West C, et al. Teaching metacognitive skills: helping your physician trainees in the quest to 'know what they don't know'. *Am J Med*. 2015;128:318–324. doi:10.1016/j.amjmed.2014.11.001
- Schraw G. Promoting general metacognitive awareness. *Instr Sci*. 1998;26:113–125. doi:10.1023/A:1003044231033
- Beach PT, Anderson RC, Jacovidis JN, Chadwick KL. Making the abstract explicit: the role of metacognition in teaching and learning. *Inflexion*. 2020;2020:1–57.
- Fisher M, King J, Tague G. Development of a self-directed learning readiness scale for nursing education. *Nurse Educ Today*. 2001;21:516–525. doi:10.1054/nedt.2001.0589
- Mytkowicz P, Goss D, Steinberg B. Assessing metacognition as a learning outcome in a postsecondary strategic learning course. *J Postsecond Educ Disabil*. 2014;27:51–62.
- Brown AL. Metacognition, executive control, self-regulation, and other more mysterious mechanisms. *Metacognit Motivat Understand*. 1987;20:65–116.
- Medina MS, Castleberry AN, Persky AM. Strategies for improving learner metacognition in health professional education. *Am J Pharm Educ*. 2017;81:78. doi:10.5688/ajpe81478
- Devo ZM, Huynh D, Rochester C, Sturpe DA, Kiser K. Readiness for self-directed learning and academic performance in an abilities laboratory course. *Am J Pharm Educ*. 2011;75:25. doi:10.5688/ajpe75225
- Schraw G, Dennison RS. Assessing metacognitive awareness. contemporary educational psychology. *Dev Comprehens Learn*. 1994;19:460–475.
- Balcikanli C. Metacognitive awareness inventory for teachers (MAIT). 2011.
- Bhandari B, Chopra D, Singh K. Self-directed learning: assessment of students' abilities and their perspective. *Adv Physiol Educ*. 2020;44:383–386. doi:10.1152/advan.00010.2020
- Barnard-Brak L, Paton VO, Lan WY. Profiles in self-regulated learning in the online learning environment. *Int Rev Res Open Distributed Learn*. 2010;11:61–80. doi:10.19173/irrodl.v11i1.769
- Song JHH, Loyal S, Lond B. Metacognitive Awareness Scale, Domain Specific (MCAS-DS): assessing metacognitive awareness during raven's progressive matrices. *Front Psychol*. 2021;11:607577. doi:10.3389/fpsyg.2020.607577
- Khiat H. Measuring self-directed learning: a diagnostic tool for adult learners. *J Univ Teach Learn Pract*. 2015;12(2):4–19. doi:10.53761/1.12.2.2
- Hong WH, Vadivelu J, Daniel EGS, Sim JH. Thinking about thinking: changes in first-year medical students' metacognition and its relation to performance. *Med Educ Online*. 2015;20:27561. doi:10.3402/meo.v20.27561
- Schellenberg S, Negishi M, Eggen P. The effects of metacognition and concrete encoding strategies on depth of understanding in educational psychology. *Teach Educ Psychol*. 2011;7:17–24.
- Siqueira MAM, Gonçalves JP, Mendonça VS, et al. Relationship between metacognitive awareness and motivation to learn in medical students. *BMC Med Educ*. 2020;20:1–10. doi:10.1186/s12909-020-02318-8
- Premkumar K, Vinod E, Sathishkumar S, et al. Self-directed learning readiness of Indian medical students: a mixed method study. *BMC Med Educ*. 2018;18:1–10. doi:10.1186/s12909-018-1244-9
- Elbaly MYH, Elfeky AIM. The role of metacognition in promoting deep learning in MOOCs during COVID-19 pandemic. *Peer J Comput Sci*. 2022;8:e945. doi:10.7717/peerj-cs.945
- Khodaei S, Hasanvand S, Gholami M, Mokhayeri Y, Amini M. The effect of the online flipped classroom on self-directed learning readiness and metacognitive awareness in nursing students during the COVID-19 pandemic BMC. *Nursing*. 2022;21:22. doi:10.1186/s12912-022-00804-6

24. Hindun I, Husamah H, Nurwidodo N, Fatmawati D, Fauzi A. E-Learning in COVID-19 pandemic: does it challenge teachers' work cognition and metacognitive awareness? *Int J Instruct.* 2021;14(3):547–566. doi:10.29333/iji.2021.14332a
25. Chan CWH, Tang FWK, Chow KM, Wong CL. Enhancing generic capabilities and metacognitive awareness of first-year nursing students using active learning strategy. *BMC Nurs.* 2021;20:1–8. doi:10.1186/s12912-021-00601-7
26. Gutiérrez de Blume AP, Montoya Londoño D. Differences in metacognitive skills among undergraduate students in education, psychology, and medicine. *Revista Colombiana de Psicología.* 2021;30:111–130. doi:10.15446/rcp.v30n1.88146
27. Cutting MF, Saks NS. Twelve tips for utilizing principles of learning to support medical education. *Med Teach.* 2012;34:20–24. doi:10.3109/0142159X.2011.558143
28. Tanner KD. Promoting student metacognition. *CBE—Life Sci Educ.* 2012;11:113–120. doi:10.1187/cbe.12-03-0033
29. Preston R, Gratani M, Owens K, et al. Exploring the impact of assessment on medical students' learning. *Assess Eval High Educ.* 2020;45:109–124. doi:10.1080/02602938.2019.1614145
30. Panchu P, Bahuleyan B, Seethalakshmi K, Thomas T. Metacognitive awareness-evaluation and implications in medical students. *Int J Res Med Sci.* 2016;4:3570–3575. doi:10.18203/2320-6012.ijrms20162331
31. Mishra B. An age and gender-based analysis of 'Metacognitive Awareness Inventory' (MCAI) among first-year MBBS students from a Central Indian medical college. *J Commun Health Manage.* 2019;6:77–81.
32. Tomporowski PD, McCullick B, Pendleton DM, Pesce C. Exercise and children's cognition: the role of exercise characteristics and a place for metacognition. *J Sport Health Sci.* 2015;4:47–55. doi:10.1016/j.jshs.2014.09.003

Advances in Medical Education and Practice

Dovepress

Publish your work in this journal

Advances in Medical Education and Practice is an international, peer-reviewed, open access journal that aims to present and publish research on Medical Education covering medical, dental, nursing and allied health care professional education. The journal covers undergraduate education, postgraduate training and continuing medical education including emerging trends and innovative models linking education, research, and health care services. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <http://www.dovepress.com/advances-in-medical-education-and-practice-journal>