

Establishing activity centers for elderly people in metropolitan areas of Vietnam: preference and willingness-to-pay

This article was published in the following Dove Press journal:
Journal of Multidisciplinary Healthcare

Thu Thi Hoai Nguyen ¹⁻³
Thanh Xuan Nguyen ^{1,3}
Thang Pham ^{1,3}
Cuong Tat Nguyen ⁴
Giang Thu Vu ⁵
Long Hoang Nguyen ⁶
Bach Xuan Tran ^{7,8}
Huyen Thi Thanh Vu ^{1,3}
Carl A Latkin ⁸
Cyrus SH Ho ⁹
Roger CM Ho ^{6,10}

¹Scientific Research Department, National Geriatric Hospital, Hanoi, Vietnam; ²Dinh Tien Hoang Institute of Medicine, Hanoi, Vietnam; ³Department of Gerontology, Hanoi Medical University, Hanoi, Vietnam; ⁴Institute for Global Health Innovations, Duy Tan University, Da Nang, Vietnam; ⁵Center of Excellence in Evidence-based Medicine, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam; ⁶Center of Excellence in Behavioral Medicine, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam; ⁷Institute for Preventive Medicine and Public Health, Hanoi Medical University, Hanoi, Vietnam; ⁸Johns Hopkins Bloomberg School of Public Health, Baltimore, MD, USA; ⁹Department of Psychological Medicine, National University Hospital, Singapore; ¹⁰Department of Psychological Medicine, Yong Loo Lin School of Medicine, National University of Singapore, Singapore

Correspondence: Thu Thi Hoai Nguyen
National Geriatric Hospital, 1A Phung
Mai, Hanoi 100000, Vietnam
Tel +84 96 284 1944
Email nththu.bvbk@gmail.com

Purpose and aim: The activity center (AC), an effective model for health support and health-related quality of life improvements for older people, has been operating for many years worldwide. This study aimed to assess the necessity of and preference for attending AC and its desired functions and facilities in elderly people in Vietnam.

Subjects and methods: A cross-sectional study was conducted at parks and senior clubs, with 121 participants from 6 February to 20 April 2017, in Hanoi. The health status, preference, and willingness-to-pay for AC use of respondents were assessed.

Results: Over 75% of respondents agreed to establish an AC for older people. Among them, approximately 71.7% were willing to pay a monthly fee for this center. Elderly individuals who obtain regular physical examination when feeling pain/discomfort and who were participating in clubs for elder people were more likely to agree to establish and pay for an AC. Meanwhile, women who have to take care of grandchildren, people who were saving money and people who had children working in organizations or who were freelancers were less likely to agree to establish and pay for AC.

Conclusion: The results suggest the feasibility of establishment of ACs in Vietnam, with a high proportion of participants agreeing to such establishing and willing to pay for the AC.

Keywords: activity center, older people, elderly, Vietnam

Introduction

Vietnam's population will enter the "aged phase" in the next two decades when its aging index rises from 35.5 in 2009 to more than 100 in 2032.^{1,2} In 2008, the total number of seniors in Vietnam amounted to 9.47 million, an estimated 11% of the total population.¹ Besides this, by 2020, more than 12 million people in Vietnam will be counted as seniors.³ However, the health care system of Vietnam offers very few services or facilities that focus on and promote health-related quality of life of the elderly, which, in turn, increases life expectancy.^{1,4}

The first activity center (AC) was established in New York City in 1943.⁵ The AC is a great model for seniors who are retired, weak, living alone or who have free time to maintain mental and physical functions. The AC or daily care center is a facility that provides comprehensive health care programs for the elderly.⁶ It operates during daytime from Monday to Friday. Each month, there are many designed schedules that include activities or programs to promote physical and mental health.⁷ Ideally, an AC consists of many motor function and skill rooms, such as a gym, a library, a kitchen, a creative room or dance room. There are also specialized and trained staff on-site,

such as nurses, physiotherapists, occupational therapists, nutritionists and volunteers. They collaborate to develop useful programs and to improve the mobility and social skills of participants.^{5,7} Potentially, AC participation may lower the risk of disease-related disability. In one AC study, approximately 90% of participants reported their well-being to be the same or better than a few years previously.⁵ Some ASEAN countries such as Singapore,⁸ Malaysia⁹ and the Philippines¹⁰ have started establishing ACs for seniors. The establishment of AC is a health service that can bring good and comfortable caring to the older population.^{5,11}

Despite the evidence-based success stories of ACs, Vietnam has not adopted ACs. Additionally, Hanoi is the capital of Vietnam and a huge population lives here. Thus, this research was conducted to investigate the preference of establishing an AC for the elderly in Hanoi and to evaluate the factors associated with the preference of establishing an AC.

Subjects and methods

Subjects

People were interviewed if they met the following criteria: 1) over 60 years old; 2) live in Hanoi; and 3) accept to take part in the study. Those who were 1) under 60 years old; 2) had mental disorders; and 3) unable to join in this study were excluded from it.

Study design and sample

A cross-sectional study was performed, and the pool of subjects was chosen by a convenience sampling method. We approached the elderly who spend free time at the parks or senior clubs in the center of Hanoi from 6 February to 20 April 2017 and invited them to take part in the study. To prevent selection bias, we repeated the questionnaire three times then chose the answer that was repeated twice or more. Of 130 subjects, there were 121 eligible participants, and 9 people were excluded because they were under 60 years old. The 45-item questionnaire was constructed to measure demographic characteristics, daily activities, and common older people's hobbies, activities of daily living (ADL), instrumental activities of daily living (IADL)¹² and Mini Nutritional Assessment Short Form.¹³ Mini-Cog¹⁴ was used to assess cognitive impairment.

Variables and data processing

The questionnaires were translated into Vietnamese by two translators and back-translation was done by a native

English speaker and piloted in ten people. The participants were interviewed for 20–30 mins. In the questionnaire, the collected personal data of participants consisted of age (years), gender (male, female), educational attainment (illiterate, primary school, secondary school or higher level), marital status, living status (living with children, taking care of grandchildren), family, income status (dependence on children, have been working, saving money or monthly pension) and health condition (frequency for check-up, frequency of examinations, common diseases).

The common activities used to survey the participants included playing sports, doing exercise, dancing, doing yoga, going to picnics, listening to music, chatting, traveling, doing volunteer work, eating, playing musical instruments, playing chess, reading books and watching TV. These items used a 4-point scale to assess the preference of interviewees for each activity (1: dislike; 2: normal; 3: like; 4: strongly like). Then, answers like and strongly like were put in the preferred group to find out suitable programs for AC and to analyze factors associated with the preference for popular activities.

The preference for the establishment of an AC was defined by “Yes” or “No” answers to “Do you want to join this activity center if it were to open” after they listened to a description of AC programs. The item “how much time would you like to spend at an AC” was used to assess how older people might spend time at an AC per week. There were five questions that explored willingness-to-pay for AC memberships including: “Would you be willing to pay a monthly fee for AC?”, “would you pay 200.000VND per month”, “would you pay 500.000VND per month”, “would you pay 800.000VND per month” and “What is the highest amount would you pay?” (1 USD=22,500 VND in 2017). To analyze factors associated with agreeing to establish AC and willingness- to-pay for AC, the variables were chosen to put in the multivariate model including: taking care of grandchildren, gender, education attainment, income status, children occupation, working in organizations or freelancer, frequency of health check-ups, feeling pain or discomfort, participate in elderly clubs, frequency of exercise and IADL score. These variables often happen and meet in the daily life of elderly people.

Process of data analysis

After collecting data, information was coded and entered to Epidata 3.1 software then analyzed and processed by Stata 12.0 software. Statistical significance was presented with *p*-value which is <0.05. Descriptive statistics

(frequency) were used to present demographic information. Multivariate logistic regression combined with stepwise backward selection strategies (with the p -value <0.2 of the likelihood as a threshold to select the variables).

Ethical consideration

The study was approved by the National Geriatric Hospital Research Ethics Committee (No. 81 NGH IRB). The purposes of the study were explained to eligible patients and they participated voluntarily in the research. Verbal informed consent was acceptable and approved by the National Geriatric Hospital Research Ethics Committee.

Results

Table 1 describes the demographic characteristics of the study population. 55.4% of participants ($n=67$) were female, and the ratio of female to male was 1:2.4. The majority of participants (48.8%) were between 60 and 70 years old, followed by the age group of 71–80. More than half of the participants had obtained post-secondary school level education and had a monthly pension. Moreover, the majority of participants were overweight, reported health check-ups more than twice a year and exercised daily. In addition, most of the participants (71.9%) lived with children, and 31.9% reported taking care of grandchildren.

The percentage of participants who favor AC establishment and are willingness-to-pay for AC membership is allocated in Table 2. 77.5% ($n=93$) of participants favored AC establishment, and 71.7% of those were willing to pay a monthly membership fee. In addition, 50% of people would be willing to pay over 500.000 VND per month. The majority of participants would be willing to spend 1–8 hrs a week at the AC.

Table 3 presents the percentage of preference level for popular activities. Watching TV, traveling and reading books or newspapers are the most favorable activities. On the other hand, yoga, playing chess and dancing were not viewed as favorable.

Table 4 shows that there was no difference in the agreement of establishing an AC by gender, age, educational attainment, income status, ADL score and IADL score. However, the proportion of people who were widowed and favored the establishment of an AC (21.5%) were lower than who living with a spouse. In addition, participants who were in elderly clubs showed strong agreement to establish an AC.

Factors associated with agreeing to establish AC and willingness-to-pay for AC are described in Table 5. The results

Table 1 Demographic characteristics of patients ($n=121$)

Characteristics	Frequency (n=121)	Percentage
Gender		
Male	54	44.6
Female	67	55.4
Age groups		
60–70	59	48.8
71–80	41	33.9
81–90	19	15.6
>90	2	1.7
Educational attainment		
Illiterate	7	5.8
Primary school	17	14.1
Secondary school	28	23.1
≥High school	69	57.0
Income status		
Depend on children	31	25.6
working	16	13.2
savings	11	9.1
Monthly pension	63	52.1
BMI group		
Underweight	3	2.5
Normal	58	47.9
Overweight/obesity	60	49.6
Living with children		
Yes	87	71.9
No	34	28.1
Taking care of grandchildren		
Yes	37	31.9
No	79	68.1
Frequency of health check-ups		
Never	5	4.1
Feel pain or discomfort	38	31.4
Several years	4	3.3
More than twice per year	74	61.2
Frequency of doing exercise		
Never	8	6.6
Rarely, few times per month	8	6.6
Few times per week	15	12.4
Every day	90	74.4

Abbreviation: BMI, body mass index.

showed that those who were female (OR=0.38, 95% CI: 0.15–0.98); had to take care of their grandchildren (OR=0.36, 95% CI: 0.11–1.19 and OR=0.19, 95% CI: 0.07–0.53); had savings (OR=0.16, 95% CI: 0.02–1.05); and had children working in organizations or freelancer (OR=0.22, 95% CI: 0.05–1.01) were less likely to agree to establish and pay for AC. On the

Table 2 The percentage of participants agreeing to establish an AC and pay monthly fees

Characteristics	Frequency (n)	Percentage (%)
Establish an AC		
Yes	93	77.5
No	28	22.5
Pay monthly fees		
Yes	66	71.7
No	26	28.3
Amount of payment to participate in AC		
≥500.000 VND	14	50
<500.000 VND	14	50
Time spending at AC		
1–8 hrs per week	54	58.1
>8 hrs per week	39	41.9

Abbreviation: AC, activity center.

other hand, people who engage in regular physical examination when feeling pain or discomfort (OR=10.28, 95% CI: 2.06–51.35) and have joined elderly clubs (OR=9.95; 95% CI: 2.95–33.64 and OR=6.67, 95% CI: 2.35–18.88) were more likely to agree to establish and pay for AC as compared to their counterparts.

Discussion

The findings indicate that the elderly preferred establishing an AC in Hanoi and were willing to pay a fee for participation. Moreover, many of the older persons wanted to read books, watch TV at the AC and travel with others.

The study found that seniors in Hanoi frequently visited doctors for a check-up, which is an indication that they are concerned about their health. Those who had a monthly pension might be financially independent. The main difference between a European family and a Vietnamese family is the number of generations living together.¹⁵ In Vietnam, children and grandchildren are responsible for taking care of their parents.¹⁶ Participants who did not need to take care of their children daily are likely to have more free time to be involved in social events or to enjoy their hobbies at ACs.

Additionally, we found that the overweight population has increased.¹⁷ Our results also highlight the preference for exercising among the elderly which suggests that it would be beneficial to have a gym in an AC. Exercising can help to control weight and lower the risks of cardiovascular diseases. However, the risks of falling and other exercise-related problems should be taken into consideration when building a gym for the older adults.¹⁸ The gym should avoid heavy workout machines and should be managed by physiotherapists or occupational therapists. It may be also beneficial for participants to have a nutritionist at the AC to improve their nutritional knowledge and to help plan meals for the elderly. In the study of Le Van Hoi,¹⁹ it was found that the number of people who want to use a nursing center was the lowest percentage. Otherwise, households are willing to pay for nursing and day care centers more than the older persons are. There are some limitations of this study which include the implementation programs, mobile teams and community-centric areas which are rare in Vietnam and some methodological problems.¹⁹

Table 3 Percentage of preference's level with popular activities

Activities	Dislike		Normal		Like		Extremely like	
	n	%	n	%	n	%	n	%
Playing sports	60	49.5	10	8.3	17	14	34	28.1
Dance	28	59.6	2	4.2	4	8.5	13	27.7
Yoga	33	68.8	1	2.1	0	0	14	29.2
Traveling	30	25	13	10.8	36	30	41	34.2
Sing folk music	46	38	15	12.4	25	20.7	35	28.9
Chatting	18	14.9	23	19	54	44.6	26	21.5
Volunteer	20	16.7	22	18.3	41	34.2	37	30.8
Eating with friend	35	29.2	24	20	36	30	25	20.8
Playing musical instrument	15	30.6	8	16.3	10	20.4	16	32.7
Playing chess, cards	73	61.3	8	6.7	10	8.4	28	23.5
Reading book, newspaper	29	25	11	9.5	26	22.4	50	43.1
Watching television	1	2.1	2	4.2	6	12.5	39	81.3

Table 4 Characteristics of respondents agreeing and not agreeing to establish ACs

Characteristics	Agree to establish an AC						p-Value
	Yes		No		Total		
	n	%	n	%	n	%	
Gender							
Male	40	43.0	14	50.0	54	44.6	0.51
Female	53	57.0	14	50.0	67	55.4	
Age group							
60–70	46	49.5	13	46.4	59	48.8	0.67
71–80	29	31.2	12	42.9	41	33.9	
81–90	16	17.2	3	10.7	19	15.7	
>90	2	2.2	0	0.0	2	1.7	
Educational attainment							
Illiterate	6	6.5	1	3.6	7	5.8	0.81
Primary school	14	15.1	3	10.7	17	14.1	
Secondary school	22	23.7	6	21.4	28	23.1	
≥High school	51	54.8	18	26.3	69	57.0	
Income status							
Depend on children	23	24.7	8	28.6	31	25.6	0.35
Working	15	16.1	1	3.6	16	13.2	
Savings	9	9.7	2	7.1	11	9.1	
Monthly pension	46	49.5	17	60.7	63	52.1	
Marital status							
Widowed	20	21.5	14	50.0	34	28.1	0.02
Divorced	4	4.3	1	3.6	5	4.1	
Live with spouse	59	63.4	13	46.4	72	59.5	
Separated	10	10.8	0	0.0	10	8.3	
ADL score							
6	17	18.3	2	7.1	19	15.7	0.24
<6	76	81.7	26	92.9	102	84.3	
IADL score							
8	17	18.3	4	14.3	21	17.4	0.78
<8	76	81.7	24	85.7	100	82.6	
Occupation of children							
Farmer, unstable and unemployed	18	20.5	3	10.7	21	18.1	0.24
Work in government, personnel or staff	10	11.4	1	3.6	11	9.5	
Business	11	12.5	2	7.1	13	11.2	
Work organizations or freelancer	49	55.7	22	78.6	71	61.2	
Join in elderly clubs							
No	32	34.8	21	75.0	53	44.2	p<0.01
Yes	60	65.2	7	25.0	67	55.8	

Abbreviations: AC, activity center; ADL, activities of daily living; IADL, instrumental activities of daily living.

Potentially, the AC could provide both physical and mental support for the seniors.²⁰ We have acknowledged the advantages of nursing homes like the personalized health care services offered to older people and

disadvantages, such as increasing sense of isolation and loneliness, losing freedom and reducing proximity to family.²¹ The AC allows participants to maintain family bonding unlike in nursing homes. The AC would open

Table 5 Factors associated with agreeing to establish AC and willingness-to-pay for AC

Characteristics	Agree to establish to AC		Willingness-to-pay for AC	
	OR	95% CI	OR	95% CI
Take care of grandchildren (yes vs no)				
Gender (male – ref)	0.36*	0.11; 1.19	0.19***	0.07; 0.53
Female			0.38**	0.15; 0.98
Education attainment (illiterate – ref)				
Secondary school	0.32	0.07; 1.53		
Income status (depend on children – ref)				
Have savings			0.16*	0.02; 1.05
Children occupation (farmer, unstable and unemployed – ref)				
Working in organizations or freelancer	0.22*	0.05; 1.01		
Frequency of health check-ups (never – ref)				
Feel pain or discomfort	10.28***	2.06; 51.35		
Participate in elderly clubs (yes vs no)	9.95***	2.95; 33.64	6.67***	2.35; 18.88
Frequency of exercise (never – ref)				
Few times per month	5.44	0.64; 46.19		
IADL score			1.33	0.92; 1.91

Notes: *** P<0.01, ** P<0.05, * P<0.1.

Abbreviations: AC, activity center; IADL, instrumental activities of daily living.

from Monday to Friday; hence, the participants still spend Saturday and Sunday with their children instead of staying at nursing homes all the time. Moreover, the AC provides health care and social programs that are designed by doctors, nurses, physiotherapists, occupational therapists or nutritionists.^{5,6} It might be more tailored to the elderly than a regular club or social organization. Each week, the participants first view the schedule and then register for the event(s) of interest. But it is important to have physiotherapists and occupational therapists. They support and play important roles in brain function and mobility of older people.²²

Our results also suggest activities such as watching TV, reading books or magazines and traveling are most favored. In the questionnaire we used 4-point scale because of in view of seniors' characteristics, it is better that they answer in exact words instead of giving numbers which could confuse participants. Therefore, establishing a library or a cozy living room, and organizing some short trips to rural areas would encourage the elderly to come to the AC. On the other hand, dancing reduces the risk of falling in community dwellings for older adults.²³ In addition, doing community volunteer work, such as at handicap centers in Hanoi or poor areas, could be arranged several times a month. According to one study,²⁴ the

number of hours spent volunteering decreased the risk of hypertension and increased the well-being of elderly people. Thus, some cultural and religious activities should be incorporated into daily activities at the AC.

The study results suggest that participants with children who have good and stable occupations were most interested in joining an AC. Therefore, this finding suggests that older people who have children with good economic standing and occupations probably have sufficient free time to take part in AC and social activities.²⁵ As the number of people living alone is increasing typically in urban areas,²⁶ it will be beneficial to have an AC for those people.

On the other hand, this study also showed the relationship between age, sex, educational level, income status, living with children, taking care of grandchildren, ADL, IADL and wanting to join an AC. We found that participants who have a higher functional level and independence of income are more likely to value the establishment of an AC. Participants who had normal ADL and IADL ranges were more interested in joining an AC. Deterrents to joining an AC include weakness, retirement, not working, living alone, dependence and having free time. People with dementia or cognitive impairment would need special services that may not be available at an AC.⁴

This is the first study in Vietnam to measure preference for the establishment of an AC for the elderly. Because of the purposes of this study were preference and willing to pay for establishing ACs; thus, we did not expect the neutral answer from respondents then we used 4-point scale and yes/no questions. On the other hand, this scale and question were simple and suitable for older adults. There are certain limitations when interpreting the results. The population studied was limited to urban seniors, which limits the ability to generalize the result. Future studies would need to consider geographic distribution and cultural representation. Moreover, the study was limited to descriptive analysis and did not provide an in-depth assessment of factors associated with the preference and willingness-to-pay for the service.

Conclusion

The study demonstrated the favorable attitude toward the establishment of an AC among elderly people in Hanoi and a willingness-to-pay a membership fee. In Vietnam, research and policies on the elderly are beginning to pay attention to the health-related quality of life and health considerations. Thus, an AC is a place which can create an environment for the elderly to improve their physical, mental and emotional health by socializing with others and participating in various activities. Our findings provide guidelines for caregivers to operate an AC and develop programs to offer good quality and professional health service to the older population.

Acknowledgment

The authors would like to thank the teachers working at Hanoi Medical University and family and friends who had useful advice to help us complete this study.

Disclosure

Carl A Latkin reports grants from the US NIH, during the conduct of the study. The authors report no other conflicts of interest in this work.

References

- Long GT. *The aging Population in Viet Nam Current status, Prognosis, and Possible Policy Responses*. UNFPA; 2011.
- The World Bank. *Live Long and Prosper Aging in East Asia and Pacific*. Washington, USA; 2016.
- Binh NT. Elderly people in Vietnam at present time. *Int J Soc Sci Educ*. 2012;2(3):276–282.
- Kruk MEFL. Assessing health system performance in developing countries: a review of the literature. *Health Policy*. 2008;85(260–80):263–276. doi:10.1016/j.healthpol.2007.09.003
- Aday RH. *The Evolving Role of Senior Centers in the 21st Century*. Murfreesboro: Senate Special committee on Aging; 2003. TN 371322003.
- Lawrence Robinson JS, Ph D Adult Day Care Services Finding the Best Center for your Needs. Available from: <https://www.helpguide.org/articles/caregiving/adult-day-care-services>. Accessed March 20, 2019.
- Schulz E. *The Long-term Care System for the Elderly in Denmark*. 2010. Available from: <https://www.ceps.eu/ceps-publications/long-term-care-system-elderly-denmark/>. Accessed March 20, 2019.
- Ministry of social and family development, Singapore Government. *Services and Programmes For Elderly*. Available from: <https://www.msf.gov.sg/policies/Helping-the-Needy-and-Vulnerable/Supporting-Vulnerable-Elderly/Pages/Services-and-Programmes-for-Elderly.aspx>. Accessed August 10, 2016.
- Akil SM, Abdullah S, Sipon S. Challenges in managing elderly care centres in Malaysia. *Int J Arts Sci*. 2014;7(3):129.
- INQUIRER.NET. Senior Hub: an Ideal Place where Seniors can Spend their Leisure Time; 2014; Available from: <http://lifestyle.inquirer.net/178455/senior-hub-an-ideal-place-where-seniors-can-spend-their-leisure-time/>. Accessed March 20, 2017.
- Harris-Kojoin L, Sengupta M, Park-Lee E, et al. Long-term care providers and services users in the United States: data from the national study of long-term care provider. *National Cent Health Stat*. 2013–2014;3(38):2016.
- Marie Boltz SAG. Katz Index of Independence in Activities of Daily Living (ADL) and the lawton Instrumental Activities of Daily Living (IADL) scale. *Best Pract Nurs Care Older Adults*. 2007;2(3):204–212.
- Vellas B, Villars H, Abellan G, et al. Overview of the MNA - its history and challenges. *J Nutr Health Aging*. 2006;10(6):456–465.
- Borson SSJ, Chen PJ. The mini-cog as a screen for dementia: validation in a population-based sample. *J Am Geriatr Soc*. 2003;51(10):1451–1454. doi:10.1046/j.1532-5415.2003.51465.x
- Ngoc TTB, Barysheva GA, Shpekht LS. The care of elderly people in Vietnam. *EpsBS*. 2015;2357. Available from: <http://www.futureacademy.org.uk/files/images/upload/63-WELLSO.pdf>. Accessed August 20, 2018.
- Hoi LV, Thang P, Lindholm. L. Elderly care in daily living in rural Vietnam: need and its socioeconomic determinants. *BMC Geriatr*. 2011;11(81). doi:10.1186/1471-2318-11-81
- Walls HL, Peeters A, Son PT, et al. Prevalence of underweight, overweight and obesity in urban Hanoi, Vietnam. *Asia Pac J Clin Nutr*. 2009;18(2):234–239.
- Talbot Rice H, Malcolm L, Norman K, et al. An evaluation of the St christopher's hospice rehabilitation gym circuits classes: patient uptake, outcomes, and feedback. *Prog Palliat Care*. 2014;22(6):319–325. doi:10.1179/1743291X14Y.0000000083
- Tien NT, Van Tien N, Van Dung D, Chuc NT, Sahlen KG, Lindholm L. Willingness to use and pay for options of care for community-dwelling older people in rural Vietnam. *BMC Health Serv Res*. 2012;12:36. doi:10.1186/1472-6963-12-36
- Lim KTL. Factors associated with physical activity among older people—a population-based study. *Prev Med*. 2005;40(1):33–40. doi:10.1016/j.ypmed.2004.04.046
- Woo J, Goggins W, Sham A, Ho SC. Public health significance of the frailty index. *Disabil Rehabil*. 2006;2006(28):515–521. doi:10.1080/09638280500215867
- Munce SE, Graham ID, Salbach NM, et al. Perspectives of health care professionals on the facilitators and barriers to the implementation of a stroke rehabilitation guidelines cluster randomized controlled trial. *BMC Health Serv Res*. 2017;17:440. doi:10.1186/s12913-017-2389-7
- Britten L, Addington C, Astill S. Dancing in time: feasibility and acceptability of a contemporary dance programme to modify risk factors for falling in community dwelling older adults. *BMC Geriatr*. 2017;17(1):83. doi:10.1186/s12877-017-0515-3
- Sneed RSCS. A prospective study of volunteerism and hypertension risk in older adults. *Psychol Aging*. 2013;28(2):578–586. doi:10.1037/a0032718

25. Ron Goeree VD. Introduction to health economics and decision-making: is economics relevant for the frontline clinician? *Clin Gastroenterol.* 2013;27(6):831–844. doi:10.1016/j.bpg.2013.08.016
26. Long GT, Pfau WD, editors. The elderly population in vietnam during economic transformation: an overview. In: *Social Issues Under Economic Transformation and Integration in Vietnam.* Hanoi: Vietnam; 2007:185–210.

Journal of Multidisciplinary Healthcare

Dovepress

Publish your work in this journal

The Journal of Multidisciplinary Healthcare is an international, peer-reviewed open-access journal that aims to represent and publish research in healthcare areas delivered by practitioners of different disciplines. This includes studies and reviews conducted by multidisciplinary teams as well as research which evaluates the results or conduct of such teams or healthcare processes in general. The journal

covers a very wide range of areas and welcomes submissions from practitioners at all levels, from all over the world. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/journal-of-inflammation-research-journal>