

Impact of a Swept Source-Optical Coherence Tomography Device on Efficiency in Cataract Evaluation and Surgery: A Time-and-Motion Study [Corrigendum]

Multack S, Pan LC, Timmons SK, et al. *Clin Ophthalmol*. 2023;17:1–13.

Page 2, second paragraph from the bottom, fifth sentence, line four, the text “using an SS-OCT biometer” should read “using an SS-OCT w/ORT biometer”.

Page 11, second paragraph, fourth and fifth sentences, the text “All four articles found that the SS-OCT w/ORT biometer has the lowest acquisition rate when compared to all biometers, except when compared to the use of a contact ultrasound biometer. Acquisition rates ranged from 0.6% to 4% for the SS-OCT w/ORT biometer, 3% to 7.4% for the SS-OCT biometer, 15% to 23% for the PCI biometer, and 3% to 21% for the OLCR biometer” should read “All four articles found that the SS-OCT w/ORT biometer has the lowest acquisition failure rate when compared to all biometers, except when compared to the use of a contact ultrasound biometer. Acquisition failure rates ranged from 0.6% to 4% for the SS-OCT w/ORT biometer, 3% to 7.4% for the SS-OCT biometer, 15% to 23% for the PCI biometer, and 3% to 21% for the OLCR biometer”.

The authors apologize for these errors and advise they do not affect the interpretation of the data and the conclusion of the study.

Publish your work in this journal

Clinical Ophthalmology is an international, peer-reviewed journal covering all subspecialties within ophthalmology. Key topics include: Optometry; Visual science; Pharmacology and drug therapy in eye diseases; Basic Sciences; Primary and Secondary eye care; Patient Safety and Quality of Care Improvements. This journal is indexed on PubMed Central and CAS, and is the official journal of The Society of Clinical Ophthalmology (SCO). The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/clinical-ophthalmology-journal>

<https://doi.org/10.2147/OPTH.S405536>